

IT 18V XR

Ultra[®] Airless Handheld

The world's most advanced handheld paint sprayers



PROFESSIONAL ADVANTAGES

- Fastest way to finish small jobs proven by pros! No thinning, same technique and speed as traditional Airless
- Perfect Airless Finish[™] smooth & even at any speed
 No thinning, single-coat coverage all architectural interior coatings, all finishes
- Reliability delivered every job, every time All new easy-to-clean design!



+966 -11- 21 40 888 marketing@aemco-llc.com www.aemco-llc.com جده الدمام الرياض Riyadh Dammam Jeddah



Genuine People Genuine Spares Genuine Service

Painter - Fine Finish & Professional Airless Applications ULTRA° Corded - ULTRA° Cordless - ULTRAMAX" Cordless

ULTRA[®] Advanced Airless Handheld Paint Sprayers for Professionals



() GRACO

Fastest way to finish small jobs – Proven by Pros!

Save time and money by using one tip across all Airless machines with the all new patented technology **RAC X[™] FF LP SwitchTips[™]** – available in a wide range of sizes to meet the performance needed on each and every job. The patented **FlexLiner[™] Bag System** allows quick start-up, spray and clean-up to help you get on and off the job quickly, with the ability to spray in ANY direction – even upside down! Pros agree, it's the fastest way to a Perfect Airless Finish[™].

Perfect Airless Finish[™] at any speed – without thinning

SmartControl[™] brings a Perfect Airless Finish[™] to handheld spraying. Precise pressure delivers single coat coverage at any hand speed – with no thinning! **ProControl[™] II** adjusts motor speed to deliver total pressure control. Ultra Handheld sprayers deliver the same superior finish as Graco's larger Airless sprayers – in the palm of your hand. Sprays all architectural coatings.

3 Models – same performance

SPRAYS WATER-BASED MATERIALS

SPRAYS SOLVENT RESISTANT & WATER-BASED MATERIALS



DeWALT® and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under licence.



Breakthrough Performance, Reliability, Finish.

Pros agree. Airless Handheld sprayers are the essential tool for turning small jobs around fast. Industry-tested Graco ULTRA Handhelds are the most advanced in the world, delivering unbeatable speed, flawless finish, and next-use reliability.



Reliability delivered – every job, every time

Triax[™] triple piston pump gives you the most reliable performance in the industry and full tip support. It's built from durable stainless steel and carbide components and bonded with a high strength polymer for the most durable, most lightweight pump. Innovative **Drop-In On-the-Job Triax Pump Replacement** with **ProConnect[™]** lets you replace your modular pump right on the job.



1. Remove the cover with a screwdriver.



2. Remove the old pump from the sprayer.



3. Place the new pump into sprayer.

Cordless models spray up to 3.5 litres with each charge, thanks to the DeWALT[®] 18V Lithium Ion system – the most reliable and trusted battery on the market today.

Best of all, it works with any DeWALT 18V or DeWALT® 54V FlexVolt Lithium Ion battery



the world's most advanced Airless Handheld paint sprayer

Fastest way to finish small jobs – Proven by Pros! Perfect Airless Finish[™] at any speed – without thinning Reliability delivered – every job, every time

EXCLUSIVE BREAKTHROUGH TECHNOLOGY!



LIGHTEST PRO AIRLESS HANDHELD!



Removable Material Filter

To avoid tip clogs. Standard delivered with black 60 mesh fiter for wall paint and blue 100 mesh filter for Fine Finish paints.



() GRACO



MADE IN THE USA WITH GLOBAL COMPONENTS



Sprays Water Based Materials*

* For solvent based materials choose the ULTRAMAX Airless Handheld Sprayer.

Power up Your Handheld Paint Sprayer

to the ideal sprayer for your needs

Perfect Airless Finish™

- ➤ Smooth and even at any speed
- ► No thinning
- ► Single-coat coverage



Triax[™] Triple Piston Pump with ProConnect[™]

Check under the hood and discover the breakthrough Triax[™] delivers!

Reliable Start Up No stuck components – EVER!

- No inlet check valve to get stuck
- Automatic outlet ball knocker



Spray in any direction – even upside down!

FlexLiner[™] paint bag – toss or reuse, it's your choice!

Easy set-up:



 Fill FlexLiner[™] bag with material

Easy clean-up:

Fill FlexLiner[™] bag with cleaning fluid
 Shake sprayer



2. Squeeze out any remaining air



3. Spray!

Spray into a bucket
 No suction tube to clean



Extended cordless range with the GX21 Cordless and the Classic 390 PC Cordless.

The first and only line of cordless high performance stationary sprayers

A cordless unit for every application

GRACO



GX21 Cordless: The Goal-Getter

Breakthrough cordless power and portability

- Only high-performance stationary cordless sprayers on the market —delivering the power of a corded sprayer wilt the freedom of a cordless
- Spray up to 11.5 litres on a single battery charge —two batteries included for all day spraying
- Freedom from power cords, electrical outlets or generators



Classic 390 PC Cordless: The Solid Workhorse

The most powerful line of cordless sprayers ever built delivers the freedom to spray every job faster

ASK ABOUT THE HIGH PERFORMANCE STATIONARY CORDLESS SOLUTIONS —EXCLUSIVELY FROM GRACO



RAC X[™] FF LP SwitchTips[™]

Unmatched Performance:

> All ULTRA & ULTRAMAX sprayers have FULL performance with RAC X FF LP SwitchTips

PRESSURE AND TIP SUPPORT		MATERIALS OF CONSTRUCTION		
FULL PRESSURE RANGE	FULL RANGE TIP SUPPORT	WEAR	HOUSING	
34 - 138 bar	.008016	Carbide & Stainless Steel	High Strength Polymer	

Featuring the patented Graco RAC X[™]

Tip with SmartTip[™] Technology and exclusive internal tip geometry which delivers the industry's best finish at the lowest Airless spray pressure!

- > No longer a customised tip for handheld sprayers only
- > Provides the BEST finish compared to any other tip
- > Full range of sizes for use across all handheld sprayers applications



In (mm)	0.008	0.010	0.012	0.014	0.016
2-4 (51-102)	108	110	112	-	-
4-6 (102-152)	208	210	212	214	-
6-8 (152-203)	308	310	312	314	-
8-10 (203-254)	-	410	412	414	-
10-12 (254-305)	-	510	512	514	516
12-14 (305-356)	-	-	-	-	616
Flow Rate (Ipm)	.26	.41	.59	.80	1.04

Water at 138 bar (13.8 MPa, 2000 psi); paints with a higher viscosity will decrease the flow rate. *Example:* For a tip with a .010 orifice and a 8 in (203 mm) pattern, order FFLP410. Handheld units do not support .018 and .020 orifices.

FlexLiner[™] kits

Extra complete:

- > Water-based and solvent based versions available
- > Extra FlexLiner perfect for cleaning and colour coats
- > To increase your spray autonomy, also available in 1.25 litre size





Kits come with storage plug





Same extensions and tips for all Airless (Handheld) sprayers in the range

RAC X[™]

Extend your handheld sprayer

Use your preferred extension or hose and combine different paint jobs into one operation.

Did you know?

➤ Did you know that due to the RAC X[™] design spray guard, you now will be able to connect all RAC X competible accessories such as extensions and hoses to these ULTRA Airless Handheld sprayers?

(for ULTRA Airless Handheld sprayer only)

! TIP

Extend your Reach

Use standard extensions on ULTRA Models (Cannot be used on ULTRAMAX Handheld)

Achieve optimal reach with a 10^e extension 287019

ORIFICE SIZE – INCHES

Smar

TECHNOLOG

ULTRA[®] Advanced Airless Handheld Paint Sprayers for Professionals

Technical Specifications All units ship complete and ready to spray:	Ĩ.	Ĩ	
Model Name:	ULTRA AIRLESS HANDHELD CORDED	ULTRA AIRLESS HANDHELD CORDLESS	ULTRAMAX AIRLESS HANDHELD CORDLESS
Part Numbers: for EURO Version (230 V)	CEE VD0 cord / 17M360	CEE VD0 cord / 17M366	CEE VD0 cord / 17P258
for UK Version	25M616	25M615	25M614
Solvent Capable	No	No	Yes
ProControl [™] II Pressure Control	Yes	Yes	Yes
Pressure Adjustment	34-138 bar	34-138 bar	34-138 bar
Tip Support - RAC X [™] FF LP SwitchTips [™] ONLY	.008016	.008016	.008016
Tip(s) Included	RAC X [™] FF LP 410 + RAC X [™] FF LP 514	RAC X [™] FF LP 410 + RAC X [™] FF LP 514	RAC X [™] FF LP 410 + RAC X [™] FF LP 514
1 litre FlexLiner [™] Bags (Included)	4	4	4
DeWALT [®] 18V 2.0 Ah XR Li-Ion Battery / Charger	_ / _	2/1	2 / 1
Filter Mesh Included - 60 Mesh (black) + 100 Mesh (blue)	Yes	Yes	Yes
Fully Repairable	Yes	Yes	Yes
ProConnect™	Yes	Yes	Yes
Storage Bag	Yes	Yes	Yes
Triax [™] Replacement Pump	17P185	17P186	17P187
Manual	3A4702	3A4749	3A4803

Accessories

Get the most out of your equipment, by using our professional accessories:



FlexLiner[™] Accessories

- 17A226 1 litre FlexLiner paint bags (3-pack)
- 17P212 1 litre FlexLiner paint bags (25-pack)
- 17F005 1.25 litre FlexLiner paint bags (3-pack)
- 17P549 1.25 litre FlexLiner paint bags (25-pack)



Extra FlexLiner[™] Cup Assemblies

- 17P550 1 litre Flexliner system (water-based)
- 17P551 1 litre Flexliner system (solvent resistant)
- 17P552 1.25 litre Flexliner system (water-based)
- 17P553 1.25 litre Flexliner system (solvent resistant)



Cup, 1 litre 17D850 Cup, 1.25 litre



CanConnect[™]

17M867 CanConnect

Filters

Cups 17N392

17P554 60 mesh (3-pack) 17P555 100 mesh (3-pack)



RAC X[™] Guards and Extensions

246215 RAC X[™] guard 7/8" (water-based) RAC X[™] guard 1" (solvent resistant) 17P573 287019 25 cm extension with Rac X[™] guard (Ultra[™] HH only) 287020 40 cm extension with Rac X[™] guard (Ultra[™] HH only)

Tips and Seats

FFLPXXX RAC X[™] FF LP SwitchTips[™] 17P501 Tip seat/gasket (water-based), (5-pack) 17P502 Tip seat/gasket (solvent resistant), (5-pack)

Batteries

17P557 1 DeWALT® 18V 2.0 Ah XR Li-Ion Battery 17P560 Charger, 230V

Liquids

253574 Pump Armor[™] - 1 litre

Other



17M883 Storage case 17N515 Lid assembly (water-based) 17N517 Lid assembly (solvent resistant) 17M879 Lid plug 16H256 Grounding cable 17P712 Vacuvalve cap



ABOUT GRACO

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

ABOUT AEMCO

AEMCO was established in 2007 as an organization focused to increase professionalism and productivity in the arena of coating and surface preparation across the Kingdom of Saudi Arabia. Latest trends and technologies in coating industry were made available from AEMCO to our professional end users to achieve quality results and satisfaction. We started our operations in Riyadh and expanded to Central, Eastern, Western and Northern Region of the Kingdom.

نبذة عن الشركة:

تأسست شركة إيمكو في عام ٢٠٠٧ لتكون شركة تركز على زيادة الاحترافية والإنتاجية في ميدان الطلاء وتجهيز الأسطح للدهان في المملكة العربية السعودية. وفرت شركة إيمكو أحدث أساليب التقنية في مجال تنفيذ الطلاء لعملائنا المحترفين في صناعة تنفيذ الطلاء للوصول الى نتائج مبهرة ومرضية. بدأنا عملياتنا في الرياض وتطورت لتصل الى المنطقة الوسطى، المنطقة الشرقية، المنطقة الغربية والمنطقة الشمالية من المملكة العربية السعودية.

AEMCO LOCATIONS

RIYADH Second Ring Road, Near Morni, As Sulay, Riyadh:14285, KSA Tel: +966 11 2140888 DAMMAM King Abdul Aziz Road, Opp.DHL Head Office, Thuqba Area , Al-Khobar KSA. Tel: +966 13 8021334 JEDDAH Prince Abdul Majeed Road, North Obhur. Al Shera'a District, Jeddah: 23814, KSA Tel: +966 11 2637048

All written and visual data contained in this document is based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco Distribution BV 344104ENEU (rev.D) 09/21 Printed in Europe 2017© All other brand names or marks are used for identification purposes and are trademarks of their respective owners. .For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks



+966 -11- 21 40 888 marketing@aemco-llc.com www.aemco-llc.com

جده الدمام الرياض

Riyadh Dammam Jeddah



Genuine People Genuine Spares Genuine Service