



# E-MIX XT™

Electric Variable Ratio Sprayer for Protective Coatings  
EUROPE, MIDDLE EAST & AFRICA



PROVEN QUALITY. LEADING TECHNOLOGY.



## AEMCO

+966 -11- 21 40 888  
marketing@aemco-llc.com  
www.aemco-llc.com

جده الدمام الرياض  
Riyadh Dammam Jeddah



Genuine People  
Genuine Spares  
Genuine Service





Introducing the industry's most economical, easy-to-operate & portable electric variable ratio spray system! Designed to handle spray ratios from 1:1 up to 6:1, it is also fully capable with coatings up to 100% solids content — making it an ideal solution for nearly every job!



### XT BREAKTHROUGH PERFORMANCE

- Variable Ratio from 1:1 to 6:1
- Flow rates up to 5,7 lpm / 1.5 gpm
- 350 bar / 5000 psi max pressure
- Tip support to .039

### XTREME TORQUE™ MOTORS

- Low RPM, high torque design offers long life and unmatched performance
- Silent operation for comfort and extending spray times in restricted areas
- Made in the USA by Graco

### DUAL ENDURANCE® PUMPS WITH PROCONNECT®

- Job site proven Chromex Rod and Chrome cylinder for exceptional life and durability

- Balanced double-displacement design for ratio accuracy
- Quick & easy pump removal with just a hammer - perfect for on-the-job maintenance

### DUALFLO™ ON-DEMAND FLUID HEATER

- Offers independent heat for A & B components
- 4000 watt power provides up to 33°C / 60°F delta T heat rise for easier spraying
- Adjusts right from the touch screen

### EASY-TO-MANEUVER DESIGN

- Heavy-duty painted steel construction with integrated lift points and flat proof tires

**ELECTRIC POWERED, NO AIR COMPRESSOR NEEDED**  
LESS HASSLE AND EXPENSE —  
SAVE €1000'S PER WEEK!

**EASY TOUCHSCREEN OPERATION**  
SET RATIO, PRESSURE, HEATER  
TEMPERATURES AND SPRAY!

**QUIET OPERATION ALLOWS EXTENDED  
SPRAY TIMES IN NOISE-SENSITIVE AREAS**

**OFFERS SUBSTANTIAL SOLVENT  
AND COATING SAVINGS COMPARED  
TO "HOT-POTTING"**

**ELECTRIC POWERED!**  
**ELIMINATE THE COMPRESSOR AND SAVE MONEY**

**THE EASIEST-TO-OPERATE  
VARIABLE-RATIO SPRAYER IN THE  
INDUSTRY**



**SO EASY, YOU CAN RUN IT FROM A  
SINGLE TOUCHSCREEN!**

### SMARTSYNC™ CONTROL WITH TOUCH-SCREEN INTERFACE

- All important spray parameters are controlled from one screen — nothing could be easier
- Eliminates the steep learning curve — no expert needed
- Perfectly syncs the XT motors and pumps to deliver the perfect ratio — *everytime*

### FEATURING RATIOGUARD PROTECTION

- Real-time ratio monitoring maintains accuracy
- Integrated alarm system prevents errors and eliminates rework

### INTEGRATED RATIO CHECK KIT

- Proves on-ratio accuracy for each mix — ensuring quality
- Ideal for inspections and quality control checks
- Single-handle design for easy, efficient operation

### FASTCLEAN™ SOLVENT PUMP

- Allows quick flushing of mix hose and gun during stoppage to protect your equipment
- Features 19 liters inlet suction set for solvent bucket
- Powered by Xtreme Torque Motor and Endurance pump for long life and trouble-free operation



**INCREASE PROFIT & QUALITY  
WITH E-MIX XT!**



# E-MIX XT FEATURES BREAKTHROUGH XTREME TORQUE BRUSHLESS MOTOR

**1ST MOTOR EVER DESIGNED BY GRACO SPECIFICALLY FOR AIRLESS SPRAY**

PATENT PENDING

**15X MORE TORQUE** THAN TRADITIONAL MOTORS


**8X MORE MAGNETS**

DELIVERS RAPID ACCELERATION AND SMOOTH PERFORMANCE

**90% LOWER** RUNNING SPEEDS

**MONITORS PRESSURE 60X**  
PER MOTOR REVOLUTION

**UP TO 10X QUIETER OPERATION** DELIVERS  
THE NEW SOUND OF QUALITY™



D E S I G N E D , E N G I N E E R E D & M A N U F A C T U R E D B Y G R A C O

# E-MIX XT

## ELECTRIC AIRLESS SPRAYER

### READY-TO-SPRAY SOLUTIONS FOR EVERY JOB!

Choose from Standard Series for work where a remote manifold is not required, or choose the Pro Series for longer hose runs with a remote manifold — *you decide!*



#### E-MIX XT STANDARD INCLUDES:

- E-Mix XT (400V 20a 3PhN)
- Dual 26 liters Hoppers
- FastClean Solvent Flush Pump
- DualFlo Heater
- Ratio Check Kit
- 7,5 meters x 3/8" Mix Integration Hose
- 3 meters x 1/4" Whip Hose
- XTR 5+ Gun, XHD 519 Switch Tip

#### E-MIX XT PRO INCLUDES:

All the **STANDARD** Features

#### PLUS:

- Light Tower
- Hose Rack
- Remote Manifold Carriage
- 60 meters x 1/2" (4 x 15 meters) "A" & "B" Material Hose
- 30 meters x 3/8" (2 x 15 meters) "B" Material Hose (for mix ratio's of 3:1 and higher)

E-MIX XT 240V	PART #
E-Mix XT Standard Series	2004088
E-Mix XT Pro Series	2005567

### ACCESSORIES

#### Accessories & Repair Parts

DESCRIPTION	PART #
Light Tower Kit	18H278
Hose Rack Kit	2006329
Remote Manifold Carriage Kit	262522
E-Mix Pump Lower for A or B	2007207
E-Mix Pump Lower Packing Kit (UH/PTFE)	25D252
E-Mix Solvent Pump Lower Packing Kit	18B260
Ratio Check Restrictor Kit	2000697
Heater Rod Repair Kit	2007208

#### Complete Heated Hose Kits (Celsius) - Kits include Heated Hose, Controller, and Install Kit

DESCRIPTION	PART #
1/2 in x 1/2 in x 15 metres Complete Heated Hose Kit	2007170
1/2 in x 1/2 in x 30 metres Complete Heated Hose Kit	2007172
1/2 in x 3/8 in x 15 metres Complete Heated Hose Kit	2007174
1/2 in x 3/8 in x 30 metres Complete Heated Hose Kit	2007176

#### Heated Hose Controllers

DESCRIPTION	PART #
Heated Hose Controller Kit, Celsius, 240V	2006698

#### Hose & Gun

DESCRIPTION	PART #
3/8 in x 7,5 meters Hose, 350 bar	H53825
1/4 in x 3 meters Hose, 350 bar	H52510
1/2 in x 1/2 in x 15 metres Heated Hose	HH5555
1/2 in x 1/2 in x 30 metres Heated Hose	HH555X
1/2 in x 3/8 in x 15 metres Heated Hose	HH5535
1/2 in x 3/8 in x 30 metres Heated Hose	HH553X
XTR 5+ Spray Gun with XHD Guard & 519 XHD SwitchTip	XTR522



#### WHAT CONTRACTORS ARE SAYING...

"On our very first job, we saw at least a **15% savings** on materials (coatings and solvent) compared to hot potting... In fact, we plan on phasing out our Kings and moving the rest of the crews to E-Mix XT"

- Manuel Rodriguez, Co-owner, Polytech Industrial Inc, Fresno, CA





## ABOUT AEMCO

AEMCO was established in 2007 as an organization focused to increase professionalism and productivity in the arena of coating and surface preparation across the Kingdom of Saudi Arabia. Latest trends and technologies in coating industry were made available from AEMCO to our professional end users to achieve quality results and satisfaction. We started our operations in Riyadh and expanded to Central, Eastern, Western and Northern Region of the Kingdom.

### نبذة عن الشركة:

تأسست شركة إيمكو في عام ٢٠٠٧ لتكون شركة تركز على زيادة الاحترافية والإنتاجية في ميدان الطلاء وتجهيز الأسطح للدهان في المملكة العربية السعودية. وفرت شركة إيمكو أحدث أساليب التقنية في مجال تنفيذ الطلاء لعملائنا المحترفين في صناعة تنفيذ الطلاء للوصول الى نتائج مبهرة ومرضية. بدأنا عملياتنا في الرياض وتطورت لتصل الى المنطقة الوسطى، المنطقة الشرقية، المنطقة الغربية والمنطقة الشمالية من المملكة العربية السعودية.

## AEMCO LOCATIONS

RIYADH	DAMMAM	JEDDAH
<b>Second Ring Road, Near Morni, As Sulay, Riyadh:14285, KSA Tel: +966 11 2140888</b>	<b>King Abdul Aziz Road, Opp.DHL Head Office, Thuqba Area , Al-Khobar KSA. Tel: +966 13 8021334</b>	<b>Prince Abdul Majeed Road, North Obhur. Al Shera'a District, Jeddah: 23814, KSA Tel: +966 11 2637048</b>

All written and visual data contained in this document is based on the latest product information available at the time of publication.  
AEMCO reserves the right to make changes at any time without notice

# AEMCO

+966 -11- 21 40 888  
marketing@aemco-llc.com  
www.aemco-llc.com

جده الدمام الرياض  
Riyadh Damman Jeddah



Genuine People  
Genuine Spares  
Genuine Service