

- The wire saw with the extra large wire storage and long stroke for maximum utilisation and application for a maximum structure circumference of 11 m
- Finely adjustable feed rate with wire-conserving smooth start for optimal control of the application, also thanks to the innovative dampening system
- The saw can be placed directly on the object to be cut and can be converted from a drill rig into a wire saw in a matter of minutes
- The expandable modular system can be driven either electrically or, via a conversion kit, hydraulically
- Greatly simplified handling of the wire storage
- Electric main and feed motors for extremely smooth, wire-conserving sawing

Design

- 2 drive rolls Ø 200 mm
- Diverter rolls Ø 200 mm
- Feed wire storage electric



[1] Plug roll



[2] Universal pulley frame



[3] Individual pulley with support



[4] 2 support pulleys with support

AEMCO

+966 -11- 21 40 888
marketing@aemco-llc.com
www.aemco-llc.com

جده الدمام الرياض
Riyadh Dammam Jeddah



Genuine People
Genuine Spares
Genuine Service

TECHNICAL DATA	LWCE 200
wire storage	11 m
overall wire length	14.2 m
wire Ø, sintered	11 mm
wire Ø, galvanised	10 mm
power 16 A	8 kW
power 32 A	17 kW
voltage	400 V
frequency	50 Hz / 60 Hz
dimensions (H/W/D)	1517/615/798 mm
weight without drill rig	83 kg
weight with drill rig CDR 500	109 kg

WIRE SAW SYSTEM	NR.
LWCE 200 - drill rig CDR 500	1042097
LWCE 200 - wire saw kit incl. feed motor	1042106
LWCE 200 - electric main drive motor 400V/50Hz	1042102
[1] LWCE 200 - electric control unit 400/50 Hz incl. remote control	1042105
LWCE 200 - protection hood	1042099
LWCE 200 - trolley chassis	1042072
LWCE 200 - water lance 2.5 m	1042068

ACCESSORIES	NR.
LWCE 200 - trolley chassis	1042072
LWCE 200 - template	1042100
LWCE 200 - protection hood	1042099
LWCE 200 - water lance 2.5 m	1042068
LWCE 200 - water lance 8 m	1042101
LWCE 200 - water distributor unit complete	1042103
LWCE 200 - motor complete B/S 16 ccm / FD	1042059
LWCE 200 - motor complete B/S 18 ccm / FD	1042060
LWCE 200 - motor complete B/S 22 ccm / FD	1042061
LWCE 200 - drive wheel lining Ø 200 mm	1042040
LWCE 200 - pulley Ø 200 mm	1042041
[1] LWCH 100 - plug roll cpl.	1050107
[2] LWCH 100 - universal pulley frame	1050108
[3] LWCH 100 - individual pulley with support	1050109
[4] LWCH 100 - 2 support pulleys with support	1050110

ABOUT AEMCO

AEMCO was established in 2007 as an organization focused to increase professionalism and productivity in the arena of coating and surface preparation across the Kingdom of Saudi Arabia. Latest trends and technologies in coating industry were made available from AEMCO to our professional end users to achieve quality results and satisfaction. We started our operations in Riyadh and expanded to Central, Eastern, Western and Northern Region of the Kingdom.

نبذة عن الشركة:

تأسست شركة إيمكو في عام ٢٠٠٧ لتكون شركة تركز على زيادة الاحترافية والإنتاجية في ميدان الطلاء وتجهيز الأسطح للدهان في المملكة العربية السعودية. وفرت شركة إيمكو أحدث أساليب التقنية في مجال تنفيذ الطلاء لعملائنا المحترفين في صناعة تنفيذ الطلاء للوصول الى نتائج مبهرة ومرضية. بدأنا عملياتنا في الرياض وتطورت لتصل الى المنطقة الوسطى، المنطقة الشرقية، المنطقة الغربية والمنطقة الشمالية من المملكة العربية السعودية.

AEMCO LOCATIONS

RIYADH	DAMMAM	JEDDAH
Second Ring Road, Near Morni, As Sulay, Riyadh:14285, KSA Tel: +966 11 2140888	King Abdul Aziz Road, Opp.DHL Head Office, Thuqba Area , Al-Khobar KSA. Tel: +966 13 8021334	Prince Abdul Majeed Road, North Obhur. Al Shera'a District, Jeddah: 23814, KSA Tel: +966 11 2637048

All written and visual data contained in this document is based on the latest product information available at the time of publication.
AEMCO reserves the right to make changes at any time without notice

AEMCO

+966 -11- 21 40 888
marketing@aemco-llc.com
www.aemco-llc.com

جده الدمام الرياض
Riyadh Damman Jeddah



Genuine People
Genuine Spares
Genuine Service