



GRINDLAZER®

Graco's Complete Line of Professional
Scarifier Systems

EUROPE, MIDDLE EAST & AFRICA



PROVEN QUALITY. LEADING TECHNOLOGY.

AEMCO

+966 -11- 21 40 888
marketing@aemco-llc.com
www.aemco-llc.com

جده الدمام الرياض
Riyadh Dammam Jeddah



Genuine People
Genuine Spares
Genuine Service



THERE IS NOTHING LIKE A GRACO SCARIFYING SYSTEM

Experienced contractors know the difference. Graco GrindLazer professional scarifying solutions are recognized as solid investments that perform reliably, year after year.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality scarifying equipment available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY

Graco professional scarifying solutions are designed, manufactured, and assembled in the USA with global components.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never use Graco's warranty—but if you do, we will be there.



GRACO-ONLY SOLUTIONS TO IMPROVE YOUR PRODUCTIVITY



ELIMINATE MEASURING AND GUESSWORK

- Quickly and easily adjust the cutter depth to align with the ever-changing terrain
- Achieve accurate cut depth for tape or thermoplastic inlay

ULTIMATE CONTROL AND FLEXIBILITY

- Set “zero point” where cutter meets the surface
- Displays “active depth” from zero point
- Eliminates damage due to “dropped drums”
- English and metric units

DURABLE CONTROL DESIGN

- All electronic components are 100% encapsulated—protecting them from vibration and weather conditions
- Push buttons are completely sealed
- Aluminum control enclosure holds up to harsh jobsite environment



QUIKCUT™ PCD DIAMOND CUTTERS PATENT PENDING

- Revolutionary solution for surface prep and coating removal applications
- Last >30X longer than traditional carbide cutters
- Remove up to 4X faster than traditional diamond blades
- Engineered to deliver an extremely consistent profile across the cut path over the life of the cutter
- Patent-pending design allows you to replace individual cutters—saving you time and money



UNLOCK BREAKTHROUGH REMOVAL PERFORMANCE

Graco continues to revolutionize surface preparation and removal applications with our QuikCut PCD Diamond Cutters. When paired with a Graco GrindLazer scarifier, these proprietary cutters enable you to tackle tough removal jobs in a fraction of the time of traditional surface prep methods.



THE QUIKCUT PCD ADVANTAGE

- ✓ CUTS 4X FASTER THAN DIAMOND BLADE DRUMS
- ✓ LASTS >30X LONGER THAN TRADITIONAL CARBIDE CUTTERS
- ✓ SHAVES THE SURFACE TO DELIVER A CONSISTENT PROFILE
- ✓ REPLACEABLE CUTTER DESIGN SAVES TIME AND MONEY
- ✓ THREE PROFILES TO SERVE A WIDE RANGE OF APPLICATIONS




PERFECT PROFILES

Graco QuikCut PCD Diamond cutters are available in three profiles to serve a wide range of surface preparation and removal applications

- PAVEMENT MARKING REMOVAL
- TRIP HAZARD REMOVAL
- CONCRETE LEVELING
- FLOOR COATING REMOVAL

QuikCut PCD Flat



Creates flat profile that's ideal for traffic paint and thin coatings

QuikCut PCD Fine



Creates light profile that provides increased adhesion for durable traffic markings and floor coatings

QuikCut PCD Coarse



Creates coarse profile that's ideal for thick coatings and aggressive removal







INDUSTRY-PROVEN GRACO SCARIFYING SOLUTIONS

Graco offers an expanded line of GrindLazers and cutters that provide the right solutions for all of your scarifier applications.

CHOOSE THE RIGHT SERIES FOR YOUR BUSINESS

Graco is committed to professional scarifying contractors by offering four different series of scarifying solutions.



| SERIES | APPLICATION | PRODUCTION RATE | DRUM STYLE MODELS | ROTARY STYLE MODELS |  DRUM STYLE CUTTERS |  ROTARY STYLE CUTTERS |
|---|---|---|---|--|--|---|
|  | Touch-ups, edging, and removal in hard to reach areas | 10 m ² /hr (100 ft ² /hr) | Standard DC21 E | Standard RC71 E | Carbide Flail | Carbide Flail |
|  | Basic surface prep, repairs, and line removal | 30 - 40 m ² /hr (300 - 400 ft ² /hr) | Standard DC87 G Standard DC89 G | | Wire Brush Steel Beam Carbide Flail Carbide Flat Carbide-Tipped Miller QuikCut PCD | |
|  | All surface prep, repairs, and line removal needs; use rotary model for marking removal without leaving grooves | 55 - 75 m ² /hr (600 - 800 ft ² /hr) | Pro DC1013 G | Pro RC813 G Pro RC813 G DCS | Wire Brush Steel Beam Carbide Flail Carbide Flat Carbide-Tipped Miller Diamond Blade QuikCut PCD | Wire Brush Carbide Pin Carbide Pick |
|  | High production removal jobs including leveling, and inlay, and all surface coatings | 120 - 325 m ² /hr (1,300 - 3,500 ft ² /hr) | HP DC89 G HP DC1013 G HP DC1021 G HP DC1013 G DCS HP DC1021 G DCS HP DC1520 E DCS HP DC1538 G DCS | HP RC820 H HP RC1625 G HP RC1640 H | | |

GRINDLAZER HANDHELD SERIES DC21 E AND RC71 E



The GrindLazer Standard DC21 E and Standard RC71 E are great choices for those small surface preparation jobs. Rugged, compact design makes removal of paint on horizontal and vertical surfaces quick and easy. Available in both drum (DC21 E) and rotary (RC71 E) styles.

LONG LIFE ON THE MOST CHALLENGING JOBS

- Steel and high-impact plastic construction
- Proven Makita® motor and drive

COMFORT AND FLEXIBILITY

- Reversible handle accommodates right- or left-handed users (available on DC21 E only)

MAINTENANCE-FREE DESIGN

- Sealed bearings for extended life and ease of use

DUST REMOVAL

- Vacuum port for vacuum system



| HANDHELD SERIES GRINDLAZERS | PART # |
|--------------------------------|--------|
| DC21 E w/ Carbide Flail Cutter | 25N391 |
| RC71 E w/ Carbide Flail Cutter | 25N392 |



GRINDLAZER STANDARD SERIES DC87 G AND DC89 G

The GrindLazer Standard DC87 G (6.5 HP) and DC89 G (9.0 HP) Series scarifiers are great options for those smaller traffic marking removal jobs, trip hazard removal, and for preparing a surface before applying new traffic markings.

JOBSITE TOUGH DESIGN

Heavy-Duty All-Steel Frame

CONTRACTOR-PREFERRED POWER

Durable 200 cm³ (6.5 HP) or 270 cm³ (9 HP) Honda® Power with Cyclone™ Filter

- Cyclone filter protects the engine from harmful airborne dust

EASY MICRO AND MACRO ADJUSTMENTS

Dual Depth Control

- Multi-position lever and rotating knob controls

REDUCED VIBRATION FOR ALL-DAY COMFORT

Comfort Grip Handles

USER-FRIENDLY OPERATION

- Adjustable handlebar to fit different operators
- Easy-to-reach throttle control

BUILT-IN APPLICATION FLEXIBILITY

Swivel and Fixed Front Wheel

- Swivel Wheel for feathering applications
- Fixed Wheel for straight line removal

MAINTENANCE-FREE DESIGN

Sealed Main Bearing

- Long life and ease of use

DURABLE HIGH-TORQUE POWER TRANSFER

Triple Drive Belts

DUST REMOVAL

- Vacuum port for vacuum system

EASY-TO-READ GAUGES

Dual Purpose Tachometer and Hour Meter

- Ideal for maintenance—ensuring your equipment is in top shape
- Displays engine RPMs while running



Standard DC89 G shown

POWERED BY HONDA

| STANDARD SERIES GRINDLAZERS | PART # |
|-----------------------------|--------|
| DC87 G (bare) | 25M842 |
| DC89 G (bare) | 25M843 |

| STANDARD SERIES ACCESSORIES | PART # |
|-----------------------------|--------|
| Dust Suppression Water Kit | 25N367 |
| Edger Kit | 25M933 |

GRINDLAZER PROFESSIONAL SERIES



PRO DC1013 G

The GrindLazer Pro DC1013 G is a high-output drum-style cutting options with a 390 cm³ (13 HP) Honda engine, 25 cm (10 in) maximum cut width, and larger selection of cutters for marking removal, leveling and, surface preparation.



Pro DC1013 G shown

POWERED by HONDA

FEATURES FOUND ON ALL PROFESSIONAL SERIES SCARIFIERS

JOBSITE TOUGH DESIGN

Heavy-Duty All-Steel Frame

CONTRACTOR-PREFERRED POWER

Durable 390 cm³ (13 HP) Honda Power with Cyclone Filter

- Cyclone filter protects the engine from harmful airborne dust

EFFICIENT “NO-BOUNCE” CUTTING

Center-Weight Design

- Better control for a better quality cut


EASY CUTTER DEPTH CONTROL

DialDown™ Depth Control System

- Easy to “dial down” for precise cutting depth control

ACCURATE CUTS AND LONG LIFE

- Precision All-Steel Wheel Assemblies



| PROFESSIONAL SERIES GRINDLAZERS | PART # |
|---------------------------------|--------|
| PRO DC1013 G (bare) | 25M846 |

| PROFESSIONAL SERIES ACCESSORIES | PART # |
|--|--------|
| Dust Suppression Water Kit | 25N368 |
| High Speed Pulley Kit (for inlay applications w/Diamond Drum only) | 25M893 |
| Edger Kit | 25M951 |

GRINDLAZER PROFESSIONAL SERIES PRO RC813 G



The GrindLazer Pro RC813 G is the ideal choice for when you need to remove lines without grooves. The rotary action of this scarifier hovers over the surface, resulting in line removal without leaving any ghost lines—making this the No-Groove Line Eraser.



FEATURES FOUND ON ALL PROFESSIONAL ROTARY SCARIFIERS

NO GHOST LINES

No-Groove Line Eraser

- Rotary cut removes lines without leaving any grooves

CONTRACTOR-PREFERRED POWER

Durable 390 cm³ (13 HP) vertical Honda Power with Electric Start

- Easy starting with the push of a button — even in cold weather

JOBSITE TOUGH DESIGN

Heavy-Duty All-Steel Frame

ULTIMATE “NO DAMAGE” CONTROL

Advanced Depth-Control System

- Independent adjustment for pitch, depth, and pressure



GRINDLAZER PROFESSIONAL SERIES PRO RC813 G DCS

The GrindLazer Pro RC813 G DCS has the added benefit of a Depth Control System—increasing your accuracy and reducing fatigue.



ELIMINATE MEASURING AND GUESSWORK

GrindLazer Depth Control System

- Quickly and easily adjust the cutter depth to align with ever-changing terrain
- Eliminates damage due to “dropped cutters”



ULTIMATE CONTROL AND APPLICATION FLEXIBILITY

DCS Controller

- Set “zero point” where cutter meets surface
- Displays “active depth” from zero point
- English and metric units
- Robust design stands up the harsh abuse
 - Fully encapsulated electronic components
 - Ultimate protection from vibration, jobsite, and weather conditions

TOTAL OPERATOR CONTROL

Remote Momentary Switch

- Control cut depth while keeping both hands on the GrindLazer

JOBSITE TOUGH

Linear Actuator

- Robust linear motor stands up to highly abusive environments



QUICK CUTTER REMOVAL

Tilt-Up Chassis

- Toolless design for quick, easy cutter change-out

ALL-DAY COMFORT

Adjustable, Anti-Vibration Handle Bars

- Padded and adjustable for all users

DUST REMOVAL

- Vacuum port for vacuum system

MAINTENANCE-FREE DESIGN

Sealed Bearings

- Maintenance-free design for long life and ease of use

EASY-TO-READ GAUGES

Dual Purpose Tachometer and Hour Meter

- Ideal for maintenance — ensuring your equipment is in top shape
- Displays engine RPMs while running

| PROFESSIONAL SERIES GRINDLAZER | PART # |
|--------------------------------|--------|
| PRO RC813 G (bare) | 25M847 |

| PROFESSIONAL SERIES ACCESSORIES | PART # |
|--|--------|
| Dust Suppression Water Kit | 25N368 |
| High Speed Pulley Kit (for inlay applications w/Diamond Drum only) | 25M893 |
| Edger Kit | 25M951 |

| PROFESSIONAL SERIES GRINDLAZER | PART # |
|--------------------------------|--------|
| PRO RC813 G DCS (bare) | 25N669 |

GRINDLAZER HIGH PRODUCTION SERIES HP DC89 G AND HP DC1013 G



The GrindLazer HP DC89 G and HP DC1013 G provide high production, general line removal. With 270 cm³ (9 HP) or 390 cm³ (13 HP) Honda engines, 20 cm or 25 cm (8 in or 10 in) maximum cut widths, and larger selection of cutters, the rugged, innovative designs mean you can count on either to perform for a lifetime of use. The EasyGlide™ Wheel Mount System allows either to be used with a LineDriver® as well.



HP DC89 G shown

POWERED BY HONDA



HP DC1013 G DCS shown

POWERED BY HONDA



GRINDLAZER HIGH PRODUCTION SERIES HP DC1013 G DCS

The GrindLazer HP DC1013 G DCS has the added benefit of a Depth Control System and Electric Start — increasing your accuracy and reducing fatigue.



ELIMINATE MEASURING AND GUESSWORK

GrindLazer Depth Control System

- Quickly and easily adjust the cutter depth to align with ever-changing terrain
- Eliminates damage due to dropped drums

ULTIMATE CONTROL AND APPLICATION FLEXIBILITY

DCS Controller

- Set “zero point” where cutter meets surface
- Displays “active depth” from zero point
- English and metric units
- Robust design stands up the harsh abuse:
 - Fully encapsulated electronic components
 - Ultimate protection from vibration, jobsite, and weather conditions

TOTAL OPERATOR CONTROL

Remote Momentary Switch

- Control cut depth while keeping both hands on the GrindLazer

REDUCED FATIGUE

Electric Start on all DCS units

- Simple start-up with the turn of a key

FEATURES FOUND ON ALL HIGH PRODUCTION SERIES

MAXIMUM ROAD HANDLING

TriBelt™ Drive System

- 3-cog belt design optimizes power transfer and eliminates costly downtime

FAST, EASY TURNING

Fat Track™ Front Swivel Wheel

- Proven front caster wheel system makes turning fast and easy
- Maneuver curves better
- No need to “muscle it” while moving

SAFER, EASIER TO MANEUVER

EasyGlide Wheel Mount System

- Front-mounted caster along with dual rear pneumatic air-filled tires
- Pneumatic air-filled tires help eliminate vibration

SAFER OPERATION

Extreme-Duty ProStart™ System

- Easy cutter start/stop with centrifugal clutch
- Easy cold-weather starting
- Provides longer belt life and eliminates broken recoils

EASY CUTTER DEPTH CONTROL

DialDown Depth Control System

- Easy to “dial down” for precise cutting depth control with multiple positions

ALL-DAY COMFORT

Vibration Reduction Technology

- Up to 4X less vibration than the competition
- Pneumatic air-filled tires, comfort grips, and cart design combine to eliminate vibration, reducing user fatigue
- Comfort-grip handlebars for precise steering

ULTIMATE REMOVAL

InstaCut Technology

- Only unit to offer hands-on” engagement of the cutting deck system for up or down position
- Allows deck to “float” when on uneven surfaces
- No-tool system

DUST REMOVAL

- Vacuum port for vacuum system

| HIGH PRODUCTION SERIES GRINDLAZERS | PART # |
|------------------------------------|--------|
| HP DC89 G (bare) | 25M992 |
| HP DC1013 G (bare) | 25M993 |

| HP SERIES ACCESSORIES | PART # |
|--------------------------------|--------|
| Dust Suppression Water Kit | 25N367 |
| Retractable Line Pointer Guide | 24D984 |

| HIGH PRODUCTION SERIES GRINDLAZER | PART # |
|-----------------------------------|--------|
| HP DC1013 G DCS (bare) | 25N658 |

GRINDLAZER HIGH PRODUCTION SERIES



HP DC1021 G

The GrindLazer HP DC1021 G is the high production choice when it comes to the most demanding scarifier jobs. Its “Up-Cut” cutting direction allows you to remove all types of lines found on parking lots or roadways while having the power for inlay/grooving jobs.



LINEDRIVER REQUIRED
GrindLazer HP DC1021 G with Reverse/“Up-Cut” cutting direction requires the use of a LineDriver Propel System.



HP DC1021 G shown

FEATURES FOUND ON ALL HIGH PRODUCTION SERIES SCARIFIERS

MAXIMUM ROAD HANDLING

TriBelt Drive System

- 3-cog belt design optimizes power transfer and eliminates costly downtime

FAST, EASY TURNING

Fat Track Front Swivel Wheel

- Proven front caster wheel system makes turning fast and easy
- Maneuver curves better
- No need to “muscle it” while moving

SAFER, EASIER TO MANEUVER

EasyGlide Wheel Mount System

- Front-mounted caster along with dual rear pneumatic air-filled tires
- Pneumatic air-filled tires help eliminate vibration

SAFER OPERATION

Extreme-Duty ProStart System

- Easy cutter start/stop with centrifugal clutch is one of the safest units on the market today
- Easy cold-weather starting with the turn of a key



GRINDLAZER HIGH PRODUCTION SERIES

HP DC1021 G DCS

The GrindLazer HP DC1021 G DCS has the added benefit of a Depth Control System and Electric Start—increasing your accuracy and reducing fatigue.



ELIMINATE MEASURING AND GUESSWORK

GrindLazer Depth Control System

- Quickly and easily adjust the cutter depth to align with ever-changing terrain
- Accurate cut depth for tape or thermoplastic inlays
- Eliminates damage due to dropped drums



HP DC1021 G DCS shown

EASY CUTTER DEPTH CONTROL

DialDown Depth Control System

- Easy to dial down for precise cutting depth control with multiple positions

ALL-DAY COMFORT

Vibration Reduction Technology

- Up to 4X less vibration than the competition
- Pneumatic air-filled tires, comfort grips, and cart design combine to eliminate vibration, reducing user fatigue
- Comfort-grip handlebars for precise steering

ULTIMATE CONTROL AND APPLICATION FLEXIBILITY

DCS Controller

- Set “zero point” where cutter meets surface
- Displays “active depth” from zero point
- English and metric units
- Robust design stands up the harsh abuse:
- Fully encapsulated electronic components
- Ultimate protection from vibration, jobsite, and weather conditions

TOTAL OPERATOR CONTROL

Remote Momentary Switch

- Control cut depth while keeping both hands on the GrindLazer, even while seated on the LineDriver

REDUCED FATIGUE

Electric Start on all DCS units

- Simple start-up with the turn of a key

ULTIMATE REMOVAL OR INLAY FLEXIBILITY

InstaCut™ Technology

- Only unit to offer hands-on engagement of the cutting deck system for up or down position
- Allows deck to float when on uneven surfaces
- No-tool system

DUST REMOVAL

- Vacuum port for vacuum system

| HIGH PRODUCTION SERIES GRINDLAZER | PART # |
|-----------------------------------|--------|
| HP DC1021 G (bare) | 25M994 |

| HP SERIES ACCESSORIES | PART # |
|--------------------------------|--------|
| Dust Suppression Water Kit | 25N367 |
| Retractable Line Pointer Guide | 24D984 |

| HIGH PRODUCTION SERIES GRINDLAZER | PART # |
|-----------------------------------|--------|
| HP DC1021 G DCS (bare) | 25N659 |

GRINDLAZER HIGH PRODUCTION SERIES DC1538 G AND DC1520 E DCS



The DC15 DCS series of heavy-duty, self-propelled drum scarifiers are designed to tackle the most demanding removal and surface preparation jobs. They are capable of removing a path up to 38 cm (15 in) wide and feature Graco's electronic DCS Depth Control System; allowing users to quickly and accurately adjust cut depth without stopping production. They are available in gasoline and electric-powered models to serve nearly any application.



HP DC1520 E DCS shown



HP DC1538 G DCS shown



ON-THE-FLY DEPTH CONTROL

Adjust Cut Depth Without Stopping Production

The days of manually adjusting cutter depth are over. Graco's electronic Depth Control System raises and lowers your cutter with the push of a button.

FEATURES FOUND ON ALL HIGH PRODUCTION DC15 SCARIFIERS

DO-IT-ALL SOLUTION

- Adaptable for leveling, grooving, scarifying, and removing coatings
- Up to 38 cm (15 in) cut path
- Wide variety of cutters available
- Quick-change side plate for easier drum removal

SELF-PROPELLED

- Variable-speed hydrostatic drive allows user to dial-in the speed for each application

DESIGNED FOR THE TOUGHEST JOBS

- All-steel chassis
- Low-vibration design
- Long-life bearings

MULTIPLE POWER OPTIONS

- 38 HP Kohler® EFI Gasoline
- 20 HP, 380/480v, 3ph

DUST REMOVAL

- Vacuum port for vacuum system

ELIMINATE MEASURING AND GUESSWORK

- Quickly and precisely adjust the cutter depth with the push of a button
- Achieve accurate cut depth for leveling, grooving, and inlay
- Eliminate damage due to "dropped drums"

TOTAL OPERATOR CONTROL

- Easy adjustment via control panel buttons
- Set "zero point" where the cutter meets the surface
- Adjust cut depth in 0.025 cm (0.01 in) increments
- Displays "active depth" from zero point
- English and metric units

DURABLE, MAINTENANCE-FREE DESIGN

- Aluminum control enclosure holds up to harsh jobsite environments
- All electronic components are 100% encapsulated to protect against vibration and weather
- Linear actuator is enclosed in a sealed case to resist water, dust, and debris

| HP DC1520 E DCS (ELECTRIC MODEL) | PART # |
|--|--------|
| With Standard Speed Pulley Kit for Carbide Flail Drums | 25R103 |
| With High Speed Pulley Kit for Diamond/PCD Drums | 25P783 |
| HP DC1538 G DCS (GASOLINE MODEL) | PART # |
| With Standard Speed Pulley Kit for Carbide Flail Drums | 25R100 |
| With High Speed Pulley Kit for Diamond/PCD Drums | 25P474 |

| HP DC15 SERIES ACCESSORIES | PART # |
|---|--------|
| Outboard Wheel Kit for Leveling Machine | 19B634 |
| HIGH-SPEED CONVERSION KIT FOR USING DIAMOND OR PCD DRUMS | |
| For HP DC1520 E DCS (Electric Model) | 25U322 |
| For HP DC1538 G DCS (Gasoline Model) | 25Y324 |
| STANDARD-SPEED CONVERSION KIT FOR USING CARBIDE FLAIL DRUMS | |
| For HP DC1520 E DCS (Electric Model) | 25U325 |
| For HP DC1538 G DCS (Gasoline Model) | 25U730 |

GRINDLAZER HIGH PRODUCTION SERIES HP RC820 H




The GrindLazer HP RC820 H rotary scarifier is designed for high-volume marking removal. It is designed to be mounted to skid steer equipment with low-flow hydraulic systems and uses a variety of rotary cutter assemblies to remove different types of markings.

HIGH-VOLUME REMOVAL

- Single Cutter Head**
- Removes 20 cm (8 in) wide path
 - Allows for removal on uneven surfaces

HYDRAULIC POWER

- Low-Flow Hydraulic System**
- Operates off most low-flow hydraulic systems



GRINDLAZER HIGH PRODUCTION SERIES HP RC1640 H AND RC1625 G




The GrindLazer HP RC1640 H and HP RC1625 G rotary scarifiers offer the highest rate of groove-free marking removal and can be used to remove markings on both concrete and asphalt surfaces. These two machines use three cutter assemblies to remove a path up to 40 cm (16 in) wide. The RC1640 H operates off the vehicle's high-flow hydraulic system, while a 25HP gasoline engine powers the RC1625 G.

ULTIMATE REMOVAL

- Adjustable Cut Width**
- Three cutter heads can be swiveled to remove a path up to 16 inches wide

MULTIPLE POWER OPTIONS

- High-Flow Hydraulic (HP RC1640 H)
- 25HP Kohler® Gasoline Engine (HP RC1625 G)



FEATURES FOUND ON ALL HIGH PRODUCTION ROTARY SCARIFIERS

NO GHOST LINES

- No-Groove Line Eraser**
- Rotary cut removes lines without leaving any grooves

ULTIMATE "NO DAMAGE" CONTROL

- Depth Control System**
- Multi-point depth adjustment for accurate depth control
- Spring suspension**
- Allows cutters to "float" on surface

UNIVERSAL ATTACHMENT

- Bob-Tach® Quick-Attach Backplate**
- Quick, tool-free connection to most skid loader equipment

JOBSITE TOUGH DESIGN

- Heavy-Duty All-Steel Frame

DUST REMOVAL

- Vacuum port for vacuum system

| HIGH PRODUCTION SERIES GRINDLAZER | PART # |
|-----------------------------------|--------|
| HP RC820 H (bare) | 25P471 |

| HIGH PRODUCTION SERIES GRINDLAZERS | PART # |
|------------------------------------|--------|
| HP RC1640 H (bare) | 25P472 |
| HP RC1625 G (bare) | 25P473 |

CUTTERS

EXPANDED LINEUP FOR ALL APPLICATIONS AND SURFACE PROFILES

Graco offers multiple types of cutters to achieve a full range of surface profiles and removal application.



DRUM APPLICATIONS (9 CUTTER TYPES)

- Grooving — improving traction and preparing surfaces for coatings
- Removing coatings such as paint and thermoplastic
- Surface leveling — taking down high spots (trip hazards)
- Inlay — thermoplastic and tape

| Wire Brush | Steel Beam | Carbide Flail | Carbide Flat |
|------------|------------|---------------|--------------|
| | | | |
| | | | |



| Carbide-Tipped Miller | Diamond Blade | QuikCut PCD Flat | QuikCut PCD Fine | QuikCut PCD Coarse |
|-----------------------|---------------|------------------|------------------|--------------------|
| | | | | |
| | | | | |

| Wire Brush | Carbide Pin 72 | Carbide Pin 48 | Carbide Pin 24 | Carbide Pick |
|------------|----------------|----------------|----------------|--------------|
| | | | | |
| | | | | |



ROTARY APPLICATIONS (5 CUTTER TYPES)

- Paint/thermoplastic removal
- Surface preparation without grooves

GROOVE-FREE REMOVAL

Rotary cutters hover on the surface, removing lines without leaving grooves.

QUIKCUT™ PCD DIAMOND CUTTERS

Graco's QuikCut PCD Diamond Cutters are revolutionizing surface preparation and coating removal applications by using self-sharpening polycrystalline diamond technology to gently shave the surface. These cutters feature a highly-densified PCD material optimized for high-impact applications; enabling them to last over 30X longer than traditional carbide flails. An efficient drum design enables them to cut up to 2X faster than competitive PCD drums while delivering an extremely consistent profile across the cut path.

NEXT-LEVEL DURABILITY

- Highly-Densified PCD material optimized for greater durability in high-impact applications
- Lasts >30X longer than traditional carbide cutters
- Self-sharpening cutting edge maintains profile for the life of the cutter

FASTER REMOVAL

- Efficient cutter layout accelerates removal rates without compromising cut quality
- Cuts up to 2X faster than competitive PCD drums
- Cuts 4X faster than traditional diamond blades




LOWER REPLACEMENT COSTS

- Patent-pending design allows you to replace individual cutters — saving you time and money.

SUPERIOR PROFILE CONSISTENCY

- Engineered to deliver a consistent profile across the cut path
- Ideal for a full range of applications — including indoor flooring

QuikCut PCD Flat



Creates flat profile that's ideal for traffic paint and thin coatings

QuikCut PCD Fine



Creates light profile that provides increased adhesion for durable traffic markings and floor coatings

QuikCut PCD Coarse



Creates coarse profile that's ideal for thick coatings and aggressive removal

DIAMOND BLADES



Graco diamond drums are great for shaving, grooving, and performing inlay for traffic tape and thermoplastic. They can be setup to provide a wide variety of different groove patterns.

CARBIDE CUTTERS

Graco offers a variety of carbide cutters for nearly any application. These cutters use high-quality tungsten carbide to ensure a long service life.



Carbide Flails

- Ideal for removing paint and epoxy markings, surface leveling, and removing trip hazards



Carbide Flats

- These versatile cutters use a flat carbide pin to strip, mill, and clean concrete and asphalt surfaces



Carbide-Tipped Millers

- Millers scrape the surface to remove markings, making them a suitable choice for removing paint, epoxy, tape, and thermoplastic



Carbide Picks

- Available for drum and rotary scarifiers, carbide picks are ideal for applications requiring aggressive removal of thick coatings or material

STEEL CUTTERS

Graco offers a variety of cutters manufactured from high-quality steel. These cutters are a great for light-duty jobs such as removing oil, grease, curing compounds, or thin paint coatings. They are heat-treated for a longer service life.



Steel Beam

- Ideal for gentle removal

CARBIDE PIN ROTARY CUTTERS

These cutters are the ideal choice for removing markings without leaving grooves. A rotary scarifier floats these cutters on the surface, enabling them to chip and scratch the coating off without damaging the underlying substrate.



24 Pin

- Ideal for removing tough coatings such as thermoplastic and thick epoxy



48 Pin

- Great all-around cutter for removing thermoplastic, epoxy, or thick paint coatings



72 Pin

- Ideal for removing thin coatings such as paint

WIRE BRUSH



Wire brushes are ideal for removing curing compounds and cleaning surfaces without damaging the substrate. Graco offers wire brushes for both drum and rotary equipment.



**DRUM
STYLE
CUTTERS**



Carbide Flail



**USED ON:
GRINDLAZER STANDARD DC21 E**

| Individual Cutter | Fully Assembled Drum | Drum Rebuild Kit |
|-------------------|----------------------|------------------|
| 19A009 | | |
| | 25M889 | 25M890 |
| | 25N060 | 25N065 |

| Cutter Type | Profile | Cut Width | # Cutters | # Spacers | # Rods |
|---------------|---------|-------------|-----------|-----------|--------|
| Carbide Flail | | | 1 | | |
| Carbide Flail | Medium | 5 cm (2 in) | 36 | 42 | 6 |
| Carbide Flail | Coarse | 5 cm (2 in) | 30 | 60 | 6 |

**HANDHELD DRUM
COMPONENTS**

| Part Number | Description |
|-------------|---|
| 17W425 | Spacer - Handheld Drum |
| 19A416 | Shaft - Handheld Drum |
| 19A417 | End Plate - Handheld Drum |
| 17W879 | Bare Drum (includes Arbor, Shafts, End Plates, and Fasteners) |

**ROTARY
STYLE
CUTTERS**



Carbide Flail



**USED ON:
GRINDLAZER STANDARD RC71 E**

| Individual Cutter | Fully Assembled Drum | Drum Rebuild Kit |
|-------------------|----------------------|------------------|
| 19A009 | | |
| | 25M911 | 25N068 |

| Cutter Type | Profile | Cut Width | # Cutters | # Spacers | # Rods |
|---------------|---------|----------------|-----------|-----------|--------|
| Carbide Flail | | | 1 | | |
| Carbide Flail | Medium | 17.5 cm (7 in) | 21 | 21 | 7 |

**HANDHELD DRUM
COMPONENTS**

| Part Number | Description |
|-------------|---------------------------------|
| 19A414 | Spacer - Handheld Rotary |
| 17W888 | Shaft - Handheld Rotary |
| 17W889 | Bare Drum (includes Arbor only) |



**USED ON:
GRINDLAZER STANDARD DC87
GRINDLAZER STANDARD DC89**

| Individual Cutter | Fully Assembled Drum | Drum Rebuild Kit |
|-------------------|----------------------|------------------|
| | 25M950 | |

| | | |
|--------|--------|--------|
| 19A062 | | |
| | 25M946 | 25N135 |
| | 25N077 | 25N136 |

| | | |
|--------|--------|--------|
| 19A016 | | |
| | 25N091 | 25N151 |
| | 25N092 | 25N152 |
| | 25M936 | 25N153 |
| | 25N093 | 25N154 |
| | 25N094 | 25N155 |
| | 25N095 | 25N156 |


| | | |
|--------|--------|--------|
| 19A017 | | |
| | 25N098 | 25N159 |
| | | 25N160 |
| | 25M938 | 25N161 |
| | | 25N162 |

| Cutter Type | Profile | Cut Width | # Cutters | # Spacers | # Rods |
|-------------|---------|--------------|-----------|-----------|--------|
| Wire Brush | Fine | 20 cm (8 in) | | | |

| | | | | | |
|------------|------|----------------|-----|----|---|
| Steel Beam | | | 1 | | |
| Steel Beam | Fine | 20 cm (8 in) | 208 | 4 | 4 |
| Steel Beam | Fine | 12.5 cm (5 in) | 152 | 88 | 4 |

| | | | | | |
|--------------------|--------|----------------|-----|-----|---|
| Carbide Flail 6 Pt | | | 1 | | |
| Carbide Flail 6 Pt | Fine | 20 cm (8 in) | 112 | 4 | 4 |
| Carbide Flail 6 Pt | Fine | 12.5 cm (5 in) | 76 | 92 | 4 |
| Carbide Flail 6 Pt | Medium | 20 cm (8 in) | 76 | 88 | 4 |
| Carbide Flail 6 Pt | Medium | 12.5 cm (5 in) | 52 | 148 | 4 |
| Carbide Flail 6 Pt | Coarse | 20 cm (8 in) | 64 | 120 | 4 |
| Carbide Flail 6 Pt | Coarse | 12.5 cm (5 in) | 40 | 176 | 4 |

| | | | | | |
|--------------|--------|----------------|-----|-----|---|
| Carbide Flat | | | 1 | | |
| Carbide Flat | Fine | 20 cm (8 in) | 112 | 8 | 4 |
| Carbide Flat | Fine | 12.5 cm (5 in) | 72 | 104 | 4 |
| Carbide Flat | Medium | 20 cm (8 in) | 76 | 88 | 4 |
| Carbide Flat | Medium | 12.5 cm (5 in) | 52 | 152 | 4 |



| Individual Cutter | Fully Assembled Drum | Drum Rebuild Kit |
|-------------------|----------------------|------------------|
| 19A039 | | |
| | 25N112 | 25N167 |
| | 25N114 | 25N169 |
| | 25M940 | 25N171 |

| Cutter Type | Profile | Cut Width | # Cutters | # Spacers | # Rods |
|-----------------------|---------|--------------|-----------|-----------|--------|
| Carbide-Tipped Miller | | | 1 | | |
| Carbide-Tipped Miller | Fine | 20 cm (8 in) | 28 | 36 | 4 |
| Carbide-Tipped Miller | Medium | 20 cm (8 in) | 24 | 68 | 4 |
| Carbide-Tipped Miller | Coarse | 20 cm (8 in) | 20 | 104 | 4 |

STANDARD SERIES DRUM COMPONENTS

| Part Number |
|-------------|
| 17W218 |
| 17X056 |
| 17X058 |
| 17X054 |

| Description |
|---|
| Spacer - Standard Drum |
| Shaft - Standard Drum |
| End Plate - Standard Drum |
| Bare Drum (includes Arbor, Shafts, End Plates, and Fasteners) |

QUIKCUT PCD DIAMOND CUTTERS

| QuikCut PCD Flat | QuikCut PCD Fine | QuikCut PCD Coarse | Description | Cut Width | # Cutters |
|------------------|------------------|--------------------|----------------------------|--------------|-----------|
| 2001721 | 2001720 | 2003960 | Drum Assembly, 8 in Cut | 20 cm (8 in) | 27 |
| 2003680 | 2003681 | 2004029 | QuikCut PCD Diamond Cutter | | |
| | 2004425 | | Bare Drum (No Cutters) | | |



USED ON:
GrindLazer Pro DC1013
GrindLazer HP DC89
GrindLazer HP DC1013
GrindLazer HP DC1021



| Individual Cutter | Fully Assembled Drum | Drum Rebuild Kit |
|-------------------|----------------------|------------------|
| | 19A001 | |


| Cutter Type | Profile | Cut Width | # Cutters | # Spacers | # Rods |
|-------------|---------|-----------------|-----------|-----------|--------|
| Wire Brush | Fine | 25.5 cm (10 in) | | | |

| | | |
|--------|--------|--------|
| 19A058 | | |
| | 25M962 | 25N270 |
| | 25N194 | 25N271 |
| | 25N195 | 25N272 |

| | | | | | |
|------------|------|-----------------|-----|-----|---|
| Steel Beam | | | 1 | | |
| Steel Beam | Fine | 25.5 cm (10 in) | 330 | 12 | 6 |
| Steel Beam | Fine | 20 cm (8 in) | 264 | 90 | 6 |
| Steel Beam | Fine | 15 cm (6 in) | 198 | 174 | 6 |

| | | |
|--------|--------|--------|
| 19A013 | | |
| | 25N205 | 25N282 |
| | 25N206 | 25N283 |
| | 25N207 | 25N284 |
| | 25N208 | 25N285 |
| | 25N209 | 25N286 |
| | 25N210 | 25N287 |
| | 25M952 | 25N288 |
| | 25N211 | 25N289 |
| | 25N212 | 25N290 |

| | | | | | |
|--------------------|--------|-----------------|-----|-----|---|
| Carbide Flail 8 Pt | | | 1 | | |
| Carbide Flail 8 Pt | Fine | 25.5 cm (10 in) | 216 | 12 | 6 |
| Carbide Flail 8 Pt | Fine | 20 cm (8 in) | 168 | 102 | 6 |
| Carbide Flail 8 Pt | Fine | 15 cm (6 in) | 120 | 192 | 6 |
| Carbide Flail 8 Pt | Medium | 25.5 cm (10 in) | 150 | 133 | 6 |
| Carbide Flail 8 Pt | Medium | 20 cm (8 in) | 126 | 186 | 6 |
| Carbide Flail 8 Pt | Medium | 15 cm (6 in) | 96 | 234 | 6 |
| Carbide Flail 8 Pt | Coarse | 25.5 cm (10 in) | 120 | 198 | 6 |
| Carbide Flail 8 Pt | Coarse | 20 cm (8 in) | 96 | 234 | 6 |
| Carbide Flail 8 Pt | Coarse | 15 cm (6 in) | 66 | 288 | 6 |



| Individual Cutter | Fully Assembled Drum | Drum Rebuild Kit |
|-------------------|----------------------|------------------|
| 19A014 | | |
| | 25N216 | 25N294 |
| | 25N217 | 25N295 |
| | | 25N296 |
| | 25M954 | 25N297 |
| | 25N219 | 25N298 |
| | 25N220 | 25N299 |
| | 25N221 | 25N300 |
| | 25N222 | 25N301 |
| | 25N223 | 25N302 |

| Cutter Type | Profile | Cut Width | # Cutters | # Spacers | # Rods |
|--------------|---------|-----------------|-----------|-----------|--------|
| Carbide Flat | | | 1 | | |
| Carbide Flat | Fine | 25.5 cm (10 in) | 216 | 12 | 6 |
| Carbide Flat | Fine | 20 cm (8 in) | 168 | 102 | 6 |
| Carbide Flat | Fine | 15 cm (6 in) | 120 | 186 | 6 |
| Carbide Flat | Medium | 25.5 cm (10 in) | 144 | 144 | 6 |
| Carbide Flat | Medium | 20 cm (8 in) | 120 | 192 | 6 |
| Carbide Flat | Medium | 15 cm (6 in) | 96 | 234 | 6 |
| Carbide Flat | Coarse | 25.5 cm (10 in) | 108 | 210 | 6 |
| Carbide Flat | Coarse | 20 cm (8 in) | 90 | 246 | 6 |
| Carbide Flat | Coarse | 15 cm (6 in) | 66 | 294 | 6 |

| | | |
|--------|--------|--------|
| 19A034 | | |
| | 25N227 | 25N306 |
| | 25N228 | 25N307 |
| | 25N229 | 25N308 |
| | 25N230 | 25N309 |
| | 25N231 | 25N310 |
| | 25N232 | 25N311 |

| | | | | | |
|-----------------------|--------|-----------------|----|-----|---|
| Carbide-Tipped Miller | | | 1 | | |
| Carbide-Tipped Miller | Fine | 25.5 cm (10 in) | 42 | 132 | 6 |
| Carbide-Tipped Miller | Fine | 20 cm (8 in) | 36 | 174 | 6 |
| Carbide-Tipped Miller | Fine | 15 cm (6 in) | 30 | 216 | 6 |
| Carbide-Tipped Miller | Medium | 25.5 cm (10 in) | 36 | 174 | 6 |
| Carbide-Tipped Miller | Medium | 20 cm (8 in) | 30 | 210 | 6 |
| Carbide-Tipped Miller | Medium | 15 cm (6 in) | 24 | 252 | 6 |

PRO/HP DRUM COMPONENTS

| Part Number | Description |
|-------------|---|
| 19A415 | Spacer - Pro/HP Drum |
| 17W991 | Shaft - Pro/HP Drum |
| 17W983 | End Plate - Pro/HP Drum |
| 17W989 | Bare Drum (includes Arbor, Shafts, End Plates, and Fasteners) |

DRUM STYLE CUTTERS



| Diamond BLADE | QuikCut PCD Flat | QuikCut PCD Fine | QuikCut PCD Coarse |
|---------------|------------------|------------------|--------------------|
| | | | |
| | | | |

Pro/HP Series QuikCut PCD Diamond Drums

| QuikCut PCD Flat | QuikCut PCD Fine | QuikCut PCD Coarse | Description | Cut Width | # Cutters |
|------------------|------------------|--------------------|-------------------------------------|-----------------|-----------|
| 2001725 | 2001724 | 2003962 | Drum Assembly, 10 in Cut | 25.5 cm (10 in) | 39 |
| 2001723 | 2001722 | 2003961 | Drum Assembly, 5 in Cut | 12.5 cm (5 in) | 21 |
| 2003680 | 2003681 | 2004029 | QuikCut PCD Diamond Cutter (Single) | | |
| | 2004426 | | Bare Drum (No Cutters) | | |

Pro/HP Series Diamond Blades

| Part # | Description | Cut Width | # Blades | 1/8 in Spacer | 1/4 in Spacer | Square Key |
|--------|-------------------------------------|-----------------|----------|---------------|---------------|------------|
| 24D583 | Diamond Drum, 10 in Cut, No Spacing | 25.5 cm (10 in) | 38 | 39 | 2 | 2 |
| 24B965 | Diamond Drum, 5 in Cut, No Spacing | 12.5 cm (5 in) | 19 | 21 | 21 | 2 |

| | |
|--------|-----------------------------------|
| 24E289 | Diamond Blade |
| 16A259 | Threaded End Plate - Diamond Drum |
| 24D982 | Mandrel - Diamond Drum |
| 16A258 | 1/8 in Spacer |
| 16A257 | 1/4 in Spacer |
| 123252 | Key - Diamond Drum |



Diamond Blade



Diamond Drum Assembly



USED ON:
HP DC1538 G DCS
HP DC1520 E DCS

DC15 Series QuikCut PCD Diamond Drums

| QuikCut PCD Flat | QuikCut PCD Fine | QuikCut PCD Coarse | Description | Cut Width | # Cutters |
|------------------|------------------|--------------------|-------------------------------------|---------------|-----------|
| 2001727 | 2001726 | 2003963 | Drum Assembly, 15 in Cut | 38 cm (15 in) | 80 |
| 2003680 | 2003681 | 2004029 | QuikCut PCD Diamond Cutter (Single) | | |
| | 2004427 | | Bare Drum (No Cutters) | | |

*High-Speed Pulley Kit required for PCD and Diamond drums



QuikCut PCD Diamond Drum Assembly

HP DC15 Series Diamond Blades

| Asphalt Blade | Concrete Blade | Description | # Blades | 1/10 in Spacer | 1/8 in Spacer | 1/2 in Spacer |
|---------------|----------------|---|----------|----------------|---------------|---------------|
| 25B382 | 25B383 | Diamond Drum, 15 in Cut, no spacing | 58 | 0 | 59 | 2 |
| 25B384 | 25B385 | Diamond Drum, 15 in Cut, 1/8 in spacing | 43 | 42 | 44 | 2 |
| 19A106 | 19A107 | Diamond Blade | | | | |

| | |
|--------|---|
| 19B428 | 1/10 in Spacer |
| 19B430 | 1/8 in Spacer |
| 19B429 | 1/2 in Spacer |
| 19B427 | Bare Drum (includes Mandrel, End Plate, and Keys) |

*High-Speed Pulley Kit required for PCD and Diamond drums



Diamond Blade



Diamond Drum Assembly

HP DC15 Series Carbide Flail Cutters


| Fully Assembled Drum | Drum Rebuild Kits | Description | Cutter Type | # Cutters | # Spacers | # Rods |
|----------------------|-------------------|---|--------------------|-----------|-----------|--------|
| 25B386 | 19B404 | Carbide Flail Drum, 15 in Cut, Fine Profile | Carbide Flail 8 Pt | 210 | 5 | 5 |
| 25B387 | 19B405 | Carbide Flail Drum, 15 in Cut, Medium Profile | Carbide Flail 8 Pt | 155 | 120 | 5 |
| 25B388 | 19B406 | Carbide Flail Drum, 15 in Cut, Coarse Profile | Carbide Flail 8 Pt | 120 | 200 | 5 |

| | |
|--------|---|
| 19A027 | Individual Cutter |
| 19B433 | Spacer |
| 19B432 | Rod |
| 19B434 | End Plate |
| 19B431 | Bare Drum (includes Arbor, Shafts, End Plates, and Fasteners) |

*Standard-Speed Pulley Kit required for Carbide Flail Cutters



Carbide Flail



Carbide Flail Drum Assembly



USED ON:
GrindLazer Pro RC813
GrindLazer HP RC820 H
GrindLazer HP RC1625 G
GrindLazer HP RC1640 H

| Wire Brush | Carbide Pin 72 | Carbide Pin 48 | Carbide Pin 24 | Carbide Pick |
|------------|----------------|----------------|----------------|--------------|
| | | | | |
| | | | | |

| Cutters Only (Complete Set) | Cutter Assembly |
|-----------------------------|-----------------|
| 25N330 | 25N333 |
| 19A089 | 25N365 |
| 19A088 | 25N364 |
| 19A087 | 25N363 |
| 25N332 | 25N335 |

| Cutter Type | Profile | Cut Width |
|----------------|---------|--------------|
| Wire Brush | Fine | 20 cm (8 in) |
| Carbide Pin 72 | Fine | 20 cm (8 in) |
| Carbide Pin 48 | Medium | 20 cm (8 in) |
| Carbide Pin 24 | Coarse | 20 cm (8 in) |
| Carbide Pick | Medium | 20 cm (8 in) |



LINEDRIVER AND LINEDRIVER HD

WHY WALK WHEN YOU CAN RIDE?

Graco LineDriver attachments connect to your GrindLazer to provide the most innovative, user-friendly ride-on systems available to double your productivity.

SOLUTIONS THAT IMPROVE YOUR PRODUCTIVITY

RIDE WITH EASE

- Patented Dual Foot Pedal System**
- Adjustable pedals to fit every user
 - Forward and reverse capability

EASY STARTING

- Exclusive ProStart™ Engine Starting System (LineDriver HD w/ Honda Engine)**
- Up to 50% less pulling effort to start the engine

ULTIMATE COMFORT

- Cool-Comfort™ Seat**
- Gray color stays cool in direct sunlight
 - High-back seat for added support
 - Extra padding for all-day comfort

LOW-LIGHT ACCURACY

- FlexBeam™ LED Light System**
- LED light for improved brightness with long life and less amp draw
 - Retractable, breakaway design prevents damage and keeps you striping





RELIABLE POWER






- Choose Your Engine**
- Honda GX Engine
 - Lithium Battery Powered Engine




| LINEDRIVERS | PART # |
|---------------|--------|
| LineDriver | 262004 |
| LineDriver HD | 262005 |
| LineDriver ES | 25U671 |

| LINEDRIVER ACCESSORIES | PART # |
|--|--------|
| HITCH KIT (GRINDLAZER HP DC89 G/1013 G (DCS)/DC1021 G (DCS)) | 245321 |
| HITCH KIT (GRINDLAZER PRO RC813 G) | 17Z277 |

| | HANDHELD SERIES | STANDARD SERIES | | PRO SERIES |
|--|---|---|--|--|
| |  |  |  |  |
| Unit Model | GrindLazer DC21 E | GrindLazer DC87 G | GrindLazer DC89 G | GrindLazer DC1013 G |
| WEIGHT KG (LB) | 5.5 (12) | 68 (150) | 73 (160) | 104 (230) |
| CUTTER TYPE | Drum | Drum | Drum | Drum |
| MAX WORKING WIDTH | 5 cm (2 in) | 20 cm (8 in) | 20 cm (8 in) | 25.5 cm (10 in) |
| CUTTER DRUM DIAMETER | 10 cm (4 in) | 12.5 cm (5 in) | 12.5 cm (5 in) | 17.5 cm (7 in) |
| ENGINE/MOTOR | 230V Makita | Honda 200 cm ³ (6.5 HP) | Honda 270 cm ³ (9 HP) | Honda 390 cm ³ (13 HP) |
| ENGINE START | N/A | Pull Start | Pull Start | Pull Start |
| AIR FILTER | N/A | Cyclone™ | Cyclone | Cyclone |
| TACH/HOUR METER | NO | YES | YES | YES |
| MAX CUT RATE (WALK) | 10 m ² /hr | 30 m ² /hr | 40 m ² /hr | 65 m ² /hr |
| MAX CUT RATE (LINEDRIVER) | N/A | N/A | N/A | N/A |
| LINEDRIVER / SKID LOADER COMPATIBLE | NO | NO | NO | NO |
| VACUUM PORT | YES | YES | YES | YES |
| WATER CONNECTION | NO | Optional | Optional | Optional |
| ELECTRONIC DEPTH CONTROL SYSTEM | NO | NO | NO | NO |
| GRINDLAZER (BARE) | 25N391 | 25M842 | 25M843 | 25M846 |
| APPLICATIONS | <ul style="list-style-type: none"> • Touch-Ups • Edge Work • Walls | <ul style="list-style-type: none"> • Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Coating Removal • Trip Hazard Removal | <ul style="list-style-type: none"> • Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Epoxy Removal • Inlay Grooving (Requires High Speed Pulley Kit - 25M893) | <ul style="list-style-type: none"> • Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Epoxy Removal • Inlay Grooving |

| HIGH PRODUCTION SERIES | | | | |
|---|--|--|--|--|
|  |  |  |  |  |
| GrindLazer DC89 G | GrindLazer DC1013 G | GrindLazer DC1013 G DCS | GrindLazer DC1021 G | GrindLazer DC1021 G DCS |
| 136 (300) | 141 (310) | 154 (340) | 159 (350) | 163 (360) |
| Drum | Drum | Drum | Drum, Reverse Cut | Drum, Reverse Cut |
| 20 cm (8 in) | 25.5 cm (10 in) | 25.5 cm (10 in) | 25.5 cm (10 in) | 25.5 cm (10 in) |
| 17.5 cm (7 in) | 17.5 cm (7 in) | 17.5 cm (7 in) | 17.5 cm (7 in) | 17.5 cm (7 in) |
| Honda 270 cm ³ (9 HP) | Honda 390 cm ³ (13 HP) | Honda 390 cm ³ (13 HP) | Vanguard 630 cm ³ (21 HP) | Vanguard 630 cm ³ (21 HP) |
| ProStart | ProStart | Electric Start | Electric Start | Electric Start |
| Cyclone | Cyclone | Cyclone | Donaldson® Heavy-Duty | Donaldson® Heavy-Duty |
| YES | YES | YES | YES | YES |
| 55 m ² /hr | 75 m ² /hr | 75 m ² /hr | N/A | N/A |
| 120 m ² /hr | 155 m ² /hr | 155 m ² /hr | 195 m ² /hr | 195 m ² /hr |
| Optional | Optional | Optional | Required | Required |
| YES | YES | YES | YES | YES |
| Optional | Optional | Optional | Optional | Optional |
| NO | NO | YES | NO | YES |
| 25M992 | 25M993 | 25N658 | 25M994 | 25N659 |
| <ul style="list-style-type: none"> • Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces | <ul style="list-style-type: none"> • Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Epoxy Removal | <ul style="list-style-type: none"> • Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Epoxy Removal • Inlay Grooving | <ul style="list-style-type: none"> • Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Epoxy Removal • Inlay Grooving | <ul style="list-style-type: none"> • Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Epoxy Removal • Inlay Grooving |



| | HANDHELD SERIES | PRO SERIES | | HIGH PRODUCTION SERIES | | |
|---------------------------------------|---|-----------------------------------|---|----------------------------------|-----------------------------|------------------------|
| | | | | | | |
| Unit Model | GrindLazer RC71 E | GrindLazer RC813 G | GrindLazer RC813 G DCS | GRINDLAZER RC820 H | GRINDLAZER RC1640 H | GRINDLAZER RC1625 G |
| WEIGHT KG (LB) | 6.8 (15) | 204 (450) | 209 (460) | 218 (480) | 434 (956) | 434 (956) |
| CUTTER TYPE | Rotary | Rotary | Rotary | Rotary | Rotary | Rotary |
| MAX WORKING WIDTH | 17.5 cm (7 in) | 20 cm (8 in) | 20 cm (8 in) | 20 cm (8 in) | 40 cm (16 in) | 40 cm (16 in) |
| ENGINE/MOTOR | 230V Makita | Honda 390 cm ³ (13 HP) | 13 HP Honda | Low-flow Hydraulic (20 HP) | High-flow Hydraulic (40 HP) | Kohler (25 HP) |
| ENGINE START | N/A | Electric Start | Electric Start | N/A | N/A | Electric Start |
| AIR FILTER | N/A | Standard | Standard | N/A | N/A | Standard |
| TACH/HOUR METER | NO | YES | YES | YES | YES | YES |
| MAX CUT RATE (WALK) | 10 m ² /hr | 75 m ² /hr | 75 m ² /hr | N/A | N/A | N/A |
| MAX CUT RATE (LINEDRIVER/SKID LOADER) | N/A | N/A | N/A | 95 m ² /hr | 225 m ² /hr | 225 m ² /hr |
| LINEDRIVER/SKID LOADER COMPATIBLE | NO | NO | NO | Bob-Tach® Skid Loader Connection | | |
| VACUUM PORT | YES | YES | YES | YES | YES | YES |
| WATER CONNECTION | NO | NO | NO | NO | NO | NO |
| ELECTRONIC DEPTH CONTROL SYSTEM | NO | NO | YES | NO | NO | NO |
| GRINDLAZER (BARE) | 25N392 | 25M847 | 25N669 | 25P471 | 25P472 | 25P473 |
| APPLICATIONS | <ul style="list-style-type: none"> • Touch-Ups • Edge Work • Walls | | <ul style="list-style-type: none"> • Traffic Paint Removal • Thermoplastic Removal • Surface Prep Prior to Applying Markings | | | |



| Unit Model | GrindLazer DC1538 G DCS | GrindLazer DC1520 E DCS |
|---|--|-------------------------|
| WEIGHT KG (LB) | 329 (725) | 413 (910) |
| CUTTER TYPE | Drum | Drum |
| MAX WORKING WIDTH | 38 cm (15 in) | 38 cm (15 in) |
| CUTTER DRUM DIAMETER | 25.5 cm (10 in) | 25.5 cm (10 in) |
| ENGINE/MOTOR | Kohler (38 HP) | 380V (20 HP) |
| ENGINE START | Electric Start | N/A |
| AIR FILTER | Heavy-Duty | N/A |
| TACH/HOUR METER | YES | YES |
| MAX CUT RATE | 325 m ² /hr | 325 m ² /hr |
| LINEDRIVER COMPATIBLE | NO | NO |
| VACUUM PORTS | 2 | 2 |
| ELECTRONIC DEPTH CONTROL SYSTEM | YES | YES |
| GRINDLAZER W/ HIGH-SPEED PULLEY KIT FOR DIAMOND / PCD DRUMS | 25P474 | 25P783 |
| GRINDLAZER W/ STANDARD-SPEED PULLEY KIT FOR CARBIDE FLAIL DRUMS | 25R100 | 25R103 |
| APPLICATIONS | <ul style="list-style-type: none"> • Leveling Uneven Surfaces • Coating Removal • Inlay and Grooving • Removing Traffic Markings | |

LINEDRIVERS

| Unit Model | LineDriver | LineDriver HD | LineDriver ES |
|--|------------------------------------|------------------------------------|-------------------------|
| PART NUMBER | 262004 | 262005 | 25U671 |
| OPERATING SPEED: FORWARD KM/H (MPH) REVERSE KM/H (MPH) | to 16 (10) to 10 (6) | to 16 (10) to 10 (6) | to 16 (10) to 11 (7) |
| ENGINE SIZE CC (HP) | Honda 160 cm ³ (5.5 HP) | Honda 200 cm ³ (6.5 HP) | 3x 24V, 5 Ah Lithium |
| WEIGHT KG (LB) | 120 (265) | 125 (275) | 174 (384) |
| FUEL CAPACITY LITRES (GAL) | 3.6 (.95) | 3.6 (.95) | - |
| ENGINE STARTING SYSTEM | Manual Pull | ProStart | Electric Start |



ABOUT GRACO

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

ABOUT AEMCO

AEMCO was established in 2007 as an organization focused to increase professionalism and productivity in the arena of coating and surface preparation across the Kingdom of Saudi Arabia. Latest trends and technologies in coating industry were made available from AEMCO to our professional end users to achieve quality results and satisfaction. We started our operations in Riyadh and expanded to Central, Eastern, Western and Northern Region of the Kingdom.

نبذة عن الشركة:

تأسست شركة إيمكو في عام ٢٠٠٧ لتكون شركة تركز على زيادة الاحترافية والإنتاجية في ميدان الطلاء وتجهيز الأسطح للدهان في المملكة العربية السعودية. وفرت شركة إيمكو أحدث أساليب التقنية في مجال تنفيذ الطلاء لعملائنا المحترفين في صناعة تنفيذ الطلاء للوصول الى نتائج مبهرة ومرضية. بدأنا عملياتنا في الرياض وتطورت لتصل الى المنطقة الوسطى، المنطقة الشرقية، المنطقة الغربية والمنطقة الشمالية من المملكة العربية السعودية.

AEMCO LOCATIONS

| RIYADH | DAMMAM | JEDDAH |
|---|---|--|
| Second Ring Road, Near Morni, As Sulay, Riyadh:14285, KSA Tel: +966 11 2140888 | King Abdul Aziz Road, Opp.DHL Head Office, Thuqba Area , Al-Khobar KSA. Tel: +966 13 8021334 | Prince Abdul Majeed Road, North Obhur. Al Shera'a District, Jeddah: 23814, KSA Tel: +966 11 2637048 |

Graco is certified ISO 9001.

©2024 Graco Distribution BV 344384ENEU-J 08/24. Printed in Europe.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice

AEMCO

+966 -11- 21 40 888
marketing@aemco-llc.com
www.aemco-llc.com

جده الدمام الرياض
Riyadh Damman Jeddah



Genuine People
Genuine Spares
Genuine Service