

**PNEUMATIC LONG REACH STRIPPER**

**LR**



**ONE TOOL, MULTIPLE APPLICATIONS**

The Trelawny Long reach scraper range are versatile tools for chipping and scraping tiles, adhesives, screed and vinyl along with many other cleaning and industrial applications.

Available in a range of lengths from 2ft up to 6ft, Long reach tools eliminate the need for manual labour, they are quite literally a back saver!

The aluminium "Lite" version is perfect for jobs that require working overhead or accessing hard to reach areas such as tank cleaning.

Available with a wide selection of chisels and blades, they are perfect for renovation, flooring contractors, roofing, demolition and asbestos abatement.



Non spark options available

**FEATURES & BENEFITS**

- Quick change chisel release
- Unique 'LITE' range: light weight models
- Available in 2ft, 4ft, 5ft and 6ft lengths
- Three tools in one: chipping, scraping, de-scaling
- Requires only 4.5 CFM of air: extremely cost effective needing only a small portable compressor
- Perfect tool for equipment hire companies

**APPLICATIONS**

- Tiles removal
- Removal of ice, residues and other adhesives
- Removal of carpet, lino
- Chemical spillage removal
- Bituminous products removal



**CERAMIC TILE REMOVAL**



**PLASTER REMOVAL**



**SHIP DECK RUST REMOVAL**

**PNEUMATIC LONG REACH STRIPPER**

**LR**

**KEY CONSUMABLES & ACCESSORIES**

Image	Part Number	Description
	705.1100	<b>229mm long chisel with 50mm wide blade</b> Spark resistant aluminium bronze for use in hazardous areas
	705.1101	<b>229mm long chisel with 25mm wide blade</b> Flat chisel for sand cast chipping
	705.1102	<b>203mm long chisel with 100mm wide blade</b> General chipping applications, asphalt cutter, paint removal
	705.1106	<b>229mm long chisel with 50mm wide blade</b> Removal of linoleum from floor base
	705.1112	<b>203mm long chisel with 100mm wide blade</b> Spark resistant aluminium bronze for use in hazardous areas
	705.2102	<b>203mm long chisel with 100mm wide blade</b> Floor tile removal
	708.1100	<b>203mm long chisel with comb insert</b> For use with comb insert
	708.1101	<b>25mm long chisel with 38mm comb insert</b> Brick cleaning and reclamation

Image	Part Number	Description
	431.3504	<b>102mm wide flat edge scraper blade assembly</b>
	439.3504	<b>102mm wide flat edge scraper blade pack of 5</b> Removal of adhesives and paint
	431.3508	<b>203mm wide flat edge scraper blade assembly</b>
	439.3508	<b>203mm wide flat edge scraper blade pack of 5</b> Removal of paint and coating spillage
	431.3512	<b>305mm wide flat edge scraper blade assembly</b>
	439.3512	<b>305mm wide flat edge scraper blade pack of 4</b> Removal of carpet and tiles
	431.3904	<b>102mm wide bevelled scraper blade assembly</b>
	439.3524	<b>102mm wide bevelled scraper blade pack of 5</b> Removal of stubborn adhesive
	431.3908	<b>203mm wide bevelled scraper blade assembly</b>
	439.3528	<b>203mm wide bevelled scraper blade pack of 5</b> Removal of carpet and tiles
	431.3912	<b>305mm wide bevelled scraper blade assembly</b>
	439.3522	<b>305mm wide bevelled scraper blade pack of 4</b> Removal of stubborn adhesive
	641.3512	<b>Blade holder</b> (Includes 806.0816 & 824.0800)
	806.0816	<b>Button head screw</b>
	824.0800	<b>Nylon insert nut</b>
	458.1530	<b>¼ BSP Inline Lubricator Assembly</b> Consists of whip hose, whip check and ¼ lubricator

**TECHNICAL DATA**

Model	Part No.	Type	Weight (kg)	Length (mm)	Blows Per Minute (BPM)	Air Consumption (lps - cfm)	Noise Level (LwA db(A))	Vibration Level (Aeq m/s <sup>2</sup> )
2ft Chisel	136.3200	Standard	4.80	740	2200	2.1 - 4.5	84	15.3
4ft Chisel	136.3400	Standard	5.70	1100	2200	2.1 - 4.5	84	12.2
5ft Chisel	136.3500	Standard	6.25	1400	2200	2.1 - 4.5	86	12.3
6ft Chisel	136.3600	Standard	6.90	1710	2200	2.1 - 4.5	116	12.5
4ft LITE Chisel	136.3498	LITE	3.70	1100	2200	2.1 - 4.5	89	25.1
5ft LITE Chisel	136.3598	LITE	4.05	1400	2200	2.1 - 4.5	89	19.3
6ft LITE Chisel	136.3698	LITE	4.55	1710	2200	2.1 - 4.5	116	18.8

## ABOUT AEMCO

AEMCO was established in 2007 as an organization focused to increase professionalism and productivity in the arena of coating and surface preparation across the Kingdom of Saudi Arabia. Latest trends and technologies in coating industry were made available from AEMCO to our professional end users to achieve quality results and satisfaction. We started our operations in Riyadh and expanded to Central, Eastern, Western and Northern Region of the Kingdom.

### نبذة عن الشركة:

تأسست شركة إيمكو في عام ٢٠٠٧ لتكون شركة تركز على زيادة الاحترافية والإنتاجية في ميدان الطلاء وتجهيز الأسطح للدهان في المملكة العربية السعودية. وفرت شركة إيمكو أحدث أساليب التقنية في مجال تنفيذ الطلاء لعملائنا المحترفين في صناعة تنفيذ الطلاء للوصول الى نتائج مبهرة ومرضية. بدأنا عملياتنا في الرياض وتطورت لتصل الى المنطقة الوسطى، المنطقة الشرقية، المنطقة الغربية والمنطقة الشمالية من المملكة العربية السعودية.

## AEMCO LOCATIONS

### RIYADH

King Abdul Aziz Road,  
Opp. STC Showroom,  
Post Box:75266,  
Riyadh:11578, KSA  
Tel: +966 11 2637048

### DAMMAM

King Abdul Aziz Road,  
Opp.DHL Head Office,  
Thuqba Area ,  
Al-Khobar KSA.  
Tel: +966 13 8275010

### JEDDAH

Prince Abdul Majeed  
Road, North Obhur.  
Al Shera'a District,  
Jeddah: 23814, KSA  
Tel: +966 11 2637048

# AEMCO

+966-11-2637048  
marketing@aemco-llc.com  
www.aemco-llc.com

جده الدمام الرياض  
Riyadh Dammam Jeddah



Genuine People  
Genuine Spares  
Genuine Service