

MULTICUT 605

LISSMAC
CONSTRUCTION TECHNOLOGY

POWERFUL FLOOR SAW FOR THE TOUGHEST BUILDING SITE USE

- Powerful floor saw with scissor technology
- Simple arrangement of the operating elements and a compact multifunctional display facilitate the easy to learn and intuitive operation
- Drive via Hydrostat guarantees a smooth and controlled operation of the machine
- Optimum power transfer with high performance V-belts
- Shift gearbox with 3 different rpm speeds – 950, 1620 and 2450 1/ min, gearbox (clockwise/counter-clockwise rotation and neutral position), flange spraying system
- Warp-resistant sheet frame construction
- The compact design and balanced chassis permit easy manoeuvring around the construction site
- The low centre of gravity ensures a precise saw cut
- Very good straight cut thanks to the adjustable rear axle
- Same track of the wheels- large- dimensioned wheels
- Lifting and lowering of the saw blade is controlled electro-hydraulically
- Height adjustable handles allow for ergonomic operation
- Rapid changeover from left to right-hand cutting
- Easy access for prevalent maintenances (air filter, battery, oil filter, fuel filter) due to the perfect drive unit position
- Parking brake, working hour counter and neutral (free-wheeling) mode come as a standard feature
- Fast and simple v-belt change enables a second rotation speed. Change to other rotation speeds by removing/inserting the saw blade shaft



MULTICUT 605
Image shows optional accessories

TECHNICAL DATA	MULTICUT 605 SG
cutting depth max.	515 mm
cutting depth setting	electro hydraulic/smoothly adjustable
saw blade Ø max.	1200 mm
arbor size	35 mm (6 x M12 - TK120 mm) - 25,4 mm optional
drive motor	HATZ diesel 4-cylinder
output power max.	55 kW / 74.8 hp
emission level	stage 5 (incl. diesel particulate filter)
cutting gear forwards	hydrostatic stepless 0-50 m/min
cutting gear reverse	hydrostatic stepless 0-25 m/min
saw blade speed	950 / 1620 / 2450 1/min.
left and right cut	yes
dimensions (L/W/H)	1995 / 1030 / 1720 mm
weight	1070 kg

AEMCO

+966 -11- 21 40 888
marketing@aemco-llc.com
www.aemco-llc.com

جده الدمام الرياض
Riyadh Dammam Jeddah




Genuine People
Genuine Spares
Genuine Service



[1] VACUUM-WET 100 P



[2] Blade guard incl. vacuum shoe



[3] Spot-light



[4] Warning flasher

FLOOR SAWS	NR.
MULTICUT 605 SG 35/25,4 mm without diamond blade, without blade guard	1063648

ACCESSORIES	
[1] Vacuum unit VACUUM-WET 100 P	818167
Blade guard 800 mm, foldable	1031207
Blade guard 1000 mm, foldable	1031208
Blade guard 1200 mm, foldable	1031209
[2] Blade guard 500 mm incl. vacuum shoe	1004709
[2] Blade guard 600 mm incl. vacuum shoe	816155
[2] Blade guard 800 mm incl. vacuum shoe	816187
[2] Blade guard 1000 mm incl. vacuum shoe	1079852
[3] Spot-light LED 12 V	1040256
[4] Warning flasher	816002
Water pump set incl. water filter	813046
Adapter kit - shaft 25,4 mm for 6-hole flange	1018697
Weight plates set incl. bracket - front attachment (8 weight plates, 10 kg each) *	1218377

TOOL RECOMMENDATION		
Asphalt	→	ASP 602
Asphalt	→	ASP 703
Asphalt	→	ASP 751
Concrete	→	BSP 451
Concrete	→	BSP 501

* Further weight plates sets in the spare parts list

ABOUT AEMCO

AEMCO was established in 2007 as an organization focused to increase professionalism and productivity in the arena of coating and surface preparation across the Kingdom of Saudi Arabia. Latest trends and technologies in coating industry were made available from AEMCO to our professional end users to achieve quality results and satisfaction. We started our operations in Riyadh and expanded to Central, Eastern, Western and Northern Region of the Kingdom.

نبذة عن الشركة:

تأسست شركة إيمكو في عام ٢٠٠٧ لتكون شركة تركز على زيادة الاحترافية والإنتاجية في ميدان الطلاء وتجهيز الأسطح للدهان في المملكة العربية السعودية. وفرت شركة إيمكو أحدث أساليب التقنية في مجال تنفيذ الطلاء لعملائنا المحترفين في صناعة تنفيذ الطلاء للوصول الى نتائج مبهرة ومرضية. بدأنا عملياتنا في الرياض وتطورت لتصل الى المنطقة الوسطى، المنطقة الشرقية، المنطقة الغربية والمنطقة الشمالية من المملكة العربية السعودية.

AEMCO LOCATIONS

RIYADH	DAMMAM	JEDDAH
Second Ring Road, Near Morni, As Sulay, Riyadh:14285, KSA Tel: +966 11 2140888	King Abdul Aziz Road, Opp.DHL Head Office, Thuqba Area , Al-Khobar KSA. Tel: +966 13 8021334	Prince Abdul Majeed Road, North Obhur. Al Shera'a District, Jeddah: 23814, KSA Tel: +966 11 2637048

All written and visual data contained in this document is based on the latest product information available at the time of publication.
AEMCO reserves the right to make changes at any time without notice

AEMCO

+966 -11- 21 40 888
marketing@aemco-llc.com
www.aemco-llc.com

جده الدمام الرياض
Riyadh Damman Jeddah



Genuine People
Genuine Spares
Genuine Service