



ULTRA®

Small Electric Airless Sprayers
Europe, Middle-East and Africa



PROVEN QUALITY. LEADING TECHNOLOGY.

AEMCO

+966 -11- 21 40 888
marketing@aemco-llc.com
www.aemco-llc.com

جده الدمام الرياض
Riyadh Dammam Jeddah



Genuine People
Genuine Spares
Genuine Service

INTRODUCING THE NEW ENTRY-LEVEL LINE UP

NEW

ULTRA[®] SMALL ELECTRIC SPRAYERS PATENT PENDING

- **INDUSTRY'S LIGHTEST FULL-PERFORMANCE PROFESSIONAL SPRAYERS**
- **BEST-IN-CLASS PERFORMANCE & DURABILITY**
- **MAXIMISE UPTIME WITH FASTEST ON-THE-JOB SERVICE**



ULTRA[®] 390 CORDED FEATURES

EASY TRANSPORT

Stand Model – only 12.2 kg!

- Lightweight and compact for easy transport and more room in your vehicle

SPRAYS 3X MORE LITERS THAN THE NEAREST COMPETITOR

Endurance™ Vortex® Piston Pump

- Delivers the longest pump life by automatically rotating piston rod to extend pump life

POWERFUL BRUSHLESS MOTOR

1.0 HP Brushless DC Motor with Advantage Drive™

- Delivers up to 227 bar for full performance with the ease of maintenance-free operation
- Hardened steel gears ensure reliable performance

ELIMINATE COSTLY DOWNTIME

ProConnect® Pump Replacement System

- Pump swaps in minutes – no tools, pins, or parts to lose

EASY MAINTENANCE & LESS CLOGGING

Easy Out® Pump Filter

- Inside-out filtering with a large surface area ensures a quality finish with fewer tip clogs

SUPERIOR FINISH WITH LESS OVERSPRAY

Contractor FTx™ Spray Gun with RAC X™ LP SwitchTip™

- Contractor proven design, built for dependable everyday performance
- Achieve up to 2X longer tip life, 50% less overspray and deliver a Perfect Airless Finish™



CLASSIC 390 PC
Cordless Stand
CEE : 25T863
UK : 25T943

ULTIMATE POWER AND PORTABILITY

CLASSIC 390 PC CORDLESS POWERED BY DEWALT®

- High capacity 6ah FlexVolt® batteries — spray up to 23 liters before charging
- Delivered complete with two batteries and a fan-cooled fast charger that recharges a battery in under 60 minutes.
- Durable Endurance Pump with Long life V-Max Blue™ Packings, Chromex™ rod, and hardened stainless steel cylinder



ONLY 12.2 KG!

.021" MAX TIP
1,8 L/M

Ultra 390 Stand
CEE : 25F509
UK : 25F511

ULTRA® 395 FEATURES

EASY TRANSPORT

Stand Model – only 12.7 kg!

- Lightweight and compact for easy transport and more room in your vehicle

SPRAYS 3X MORE LITERS THAN THE NEAREST COMPETITOR

Endurance Vortex Piston Pump

- Delivers the longest pump life by automatically rotating piston rod to extend pump life

ELIMINATE COSTLY DOWNTIME

ProConnect Pump Replacement System

- Pump swaps in minutes – no tools, pins, or parts to lose

EASY MAINTENANCE & LESS CLOGGING

Easy Out Pump Filter

- Inside-out filtering with a large surface area ensures a quality finish with fewer tip clogs

GET MORE WORK DONE

1.1 HP Brushless DC Motor with Advantage Drive

- Higher horsepower boosts performance and productivity for every job
- Hardened steel gears ensure reliable performance

EVEN PRESSURE DELIVERY

SmartControl®

- Ensures even pressure on every job by automatically adjusting motor speed to match tip size and spraying needs

ALL-DAY COMFORT WITH A PERFECT AIRLESS FINISH

Contractor PC™ Spray Gun with RAC X LP SwitchTip

- Lightest weight gun in its class with up to 50% lighter trigger pull force
- Achieve up to 2X longer tip life, 50% less overspray and deliver a Perfect Airless Finish



ONLY 12.7 KG!

**.023" MAX TIP
2.0 L/MIN**

Ultra 395 Stand
CEE : 25F512
UK : 25F514

EXPERIENCE ULTRA PORTABLE PRODUCTIVITY



ULTRA® 450 & 470

INCLUDES ALL ULTRA 395 FEATURES PLUS:



INCREASED SPRAY CONSISTENCY

SmartControl with Digital Display

- Ensures even pressure on every job by automatically adjusting motor speed to match tip size and spraying needs
- Displays real-time pressure, liters, and diagnostics —ideal for monitoring performance and maintenance tracking

PUMP WEAR PREVENTION

Watchdog™ Pump Protection

- Intelligent auto-shut-off feature activates when the sprayer runs out of paint, safeguarding the pump and maintaining consistent performance

CLEAN 2X FASTER

FastFlush™ High-Flow Cleaning System

- Delivers high-velocity fluid flow to clean the pump 2X faster using half the fluid

**.023" MAX TIP
2.0 L/MIN**



Ultra 450 Stand
CEE: 25F515

**.025" MAX TIP
2.3 L/MIN**



Ultra 470 Stand
CEE: 25F526

FOR EVEN MORE PERFORMANCE

UPGRADE TO **ULTRA XT**TM TO EXPERIENCE AIRLESS LIKE NEVER BEFORE

PATENT PENDING

NEW



UP TO 10X QUIETER WITH THE NEW SOUND OF QUALITY

UNRIVALED FINISH QUALITY WITH THE WORLD'S STEADIEST RUNNING PRESSURE

SELECTABLE PERFORMANCE MODESTM

LONGEST LIFE BEFORE SERVICE

FASTEST SERVICE ON JOBSITE

PUMP WEAR PREVENTION

FASTEST CLEANING USING LESS FLUID

LOWEST COST OF OWNERSHIP

AN AIRLESS SPRAY EXPERIENCE LIKE NO OTHER

XTREME TORQUE MOTOR

Experience a new level of performance with the first motor ever designed specifically for airless spray.

THE SOUND OF QUALITY

Advanced design eliminates multistage gear trains and reduces speed by 90% and noise by up to 10X.

RAPID-RESPONSETM CONTROL

Delivers the world's steadiest running pressure. Dial in 1 bar increments with the widest performance range (3-227 bar).

SELECTABLE PERFORMANCE WITH THE PUSH OF A BUTTON

Low Pressure Mode: Optimised performance range to eliminate overspray and improve finish.

High Pressure Mode: Offers maximum performance for extended hose lengths and difficult to atomise materials.

ENDURANCE VORTEX PISTON PUMPS WITH PROCONNECT

Auto-rotating vortex rod balances load and prolongs pump life — proven ProConnect replacement system to eliminate downtime included on all XT models.

LED DIGITAL DISPLAY

Features a bright, easy-to-read LED display. See the performance from across the room!

TURBOCLEANTM

Efficiently cleans 3X faster using half the fluid, significantly reducing recycling costs.

WATCHDOG PUMP PROTECTION

Intelligent auto-shutoff feature activates when the sprayer runs out of paint, safeguarding the pump and maintaining consistent performance.

Ultra 495 XT Stand
CEE : 19D527
UK : 19D529



	Ultra 390 Corded	Classic 390 PC Cordless	Ultra 395 Corded	Ultra 450 Corded	Ultra 470 Corded	Ultra 490 <i>XT</i> Corded
MAXIMUM TIP SIZE	0.021 in	0.021 in	0.023 in	0.023 in	0.025 in	0.025 in
MAXIMUM BAR (PSI)	227 (3,300)	227 (3,300)	227 (3,300)	227 (3,300)	227 (3,300)	227 (3,300)
MAXIMUM LPM (GPM)	1.8 (0.47)	1.8 (0.47)	2.0 (0.54)	2.0 (0.54)	2.3 (0.6)	2.6 (0.7)
MOTOR (HP)	1.0 Brushless	7/8 Brushless	1.1 Brushless	1.1 Brushless	1.2 Brushless	1.3 Xtreme Torque
WEIGHT KG (LG)	12.2 (27)	14 (31) Stand	12.7 (28)	12.7 (28)	13 (28) Stand	14 (31) Stand



		SMALL ELECTRICS					MIDSIZE ELECTRICS
MODEL	CART DESIGN - PART NUMBER (230V)	STAND - 25F509 HI-CART - 25F510	STAND (CEE) - 25T863 STAND (UK) - 25T943	STAND - 25F512 HI-CART - 25F513	STAND - 25F515 HI-CART - 25F516	STAND - 25F526	STAND - 19D525 HI-CART - 19D526
	CART DESIGN - PART NUMBER (110V)	STAND - 25F511		STAND - 25F514			
PUMP	PISTON PUMP	Endurance Vortex	Endurance	Endurance Vortex	Endurance Vortex	Endurance Vortex	Endurance Vortex
	PISTON ROD	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex
FEATURES	PROCONNECT REPLACEMENT SYSTEM	✓	✓	✓	✓	✓	✓
	PRESSURE CONTROL	Mechanical	Mechanical	SmartControl	SmartControl	SmartControl	Rapid-Response
	DISPLAY				✓ LCD	✓ LCD	✓ Bright LED
	SMARTDISPLAY XT						Optional
	CLEANING FEATURE				FastFlush	FastFlush	TurboClean
	WATCHDOG PUMP PROTECTION				✓	✓	✓
	PROGUARD				✓	✓	✓
	EASY OUT FILTER (60 MESH)	✓	✓	✓	✓	✓	✓
	AIRLESS GUN	Contractor FTx	Contractor FTx	Contractor PC	Contractor PC	Contractor PC	Contractor PC
	SWITCHTIP	RAC X LP 517	RAC X LP 517	RAC X LP 517	RAC X LP 517	RAC X LP 517	RAC X LP 517
	HOSE	1/4 in x 15 m Blue Max II Airless Hose	1/4 in x 15 m Blue Max II Airless Hose	1/4 in x 15 m Blue Max II Airless Hose	1/4 in x 15 m Blue Max II Airless Hose	1/4 in x 15 m Blue Max II Airless Hose	1/4 in x 15 m Blue Max II Airless Hose
POWER SOURCE	Corded	(2) DEWALT 54V Max FlexVolt 6.0 ah Batteries and (1) Fan-Cooled Fast Charger	Corded	Corded	Corded	Corded	
WEAR PARTS	REPLACEMENT PUMP	19D873	17C487	19D873	19D873	19D873	19D873
	REPAIR KIT	18B260	18B260	18B260	18B260	18B260	18B260

Graco Inc. 3J0719ENEU-A 5/25 All written and visual data contained in this document are based on the latest product information available at the time of publication ©2025
 Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners.
 Product covered by issued and pending patents, see graco.com/patents. DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under license.
 With respect to 20V MAX, maximum initial battery voltage (measured without workload), is 60 volts. Nominal is 54 volts

AEMCO

+966 -11- 21 40 888
 marketing@aemco-llc.com
 www.aemco-llc.com

جده الدمام الرياض
 Riyadh Dammam Jeddah



Genuine People
 Genuine Spares
 Genuine Service



ABOUT GRACO

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

ABOUT AEMCO

AEMCO was established in 2007 as an organization focused to increase professionalism and productivity in the arena of coating and surface preparation across the Kingdom of Saudi Arabia. Latest trends and technologies in coating industry were made available from AEMCO to our professional end users to achieve quality results and satisfaction. We started our operations in Riyadh and expanded to Central, Eastern, Western and Northern Region of the Kingdom.

نبذة عن الشركة:

تأسست شركة إيمكو في عام ٢٠٠٧ لتكون شركة تركز على زيادة الاحترافية والإنتاجية في ميدان الطلاء وتجهيز الأسطح للدهان في المملكة العربية السعودية. وفرت شركة إيمكو أحدث أساليب التقنية في مجال تنفيذ الطلاء لعملائنا المحترفين في صناعة تنفيذ الطلاء للوصول الى نتائج مبهرة ومرضية. بدأنا عملياتنا في الرياض وتطورت لتصل الى المنطقة الوسطى، المنطقة الشرقية، المنطقة الغربية والمنطقة الشمالية من المملكة العربية السعودية.

AEMCO LOCATIONS

RIYADH	DAMMAM	JEDDAH
Second Ring Road, Near Morni, As Sulay, Riyadh:14285, KSA Tel: +966 11 2140888	King Abdul Aziz Road, Opp.DHL Head Office, Thuqba Area , Al-Khobar KSA. Tel: +966 13 8021334	Prince Abdul Majeed Road, North Obhur. Al Shera'a District, Jeddah: 23814, KSA Tel: +966 11 2637048

All written and visual data contained in this document is based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

AEMCO

+966 -11- 21 40 888
marketing@aemco-llc.com
www.aemco-llc.com

جده الدمام الرياض
Riyadh Damman Jeddah



Genuine People
Genuine Spares
Genuine Service